AUTHOR INDEX TO VOLUME 60

In this index in alphabetical order are listed names of authors of all articles and letters. Full citation is given under first author only; reference is made from joint authors. Names which begin with a prefix are entered under the prefix. The month is given as a two-letter notation in parentheses.

A

AbdelMalik P, Husted J, Chow EWC, Bassett AS: Childhood head injury and expression of schizophrenia in multiply affected families, 231 (Mr)
Abram KM see Teplin LA
Abram KM, Teplin LA, McClelland GM, Dulcan MK: Comorbid psychiatric disorders in youth in juvenile detention, 1097 (No)
Acharyya S see Merikangas KR
Adolfsson R see Melke J
Agerbo E see Byrne M
Agid O, Kapur S, Arenovich T, Zipursky RB: Delayed-onset hypothesis of antipsychotic action: a hypothesis tested and rejected, 1228 (De)
Agras S see Halmi K
Akil H see Young EA
Akiskal HS see Judd LL
Aleman A, Kahn RS, Selten J-P: Sex differences in the risk of schizophrenia: evidence from meta-analysis, 565 (Je)
Alexopoulos GS see Charney DS
Ali M see Potkin SG
Alphs L see Meltzer HY
Altamura AC see Meltzer HY
Anand R see Meltzer HY
Andreasen NC see Ho B-C
Andrew M see McGuffin P
Angold A see Costello EJ
Angst J see Merikangas KR
Annas P see Hettema JM
Anthony S see Higgins ST
Appolinario JC, Bacaltchuk J, Sichieri R, Claudino AM, Godoy-Matos A, Morgan C, Zanella MT, Coutinho W: Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder, 1109 (No)
Arean PA see Charney DS
Arenovich T see Agid O
Arndt S see Ho B-C
Arnold SE see Turetsky BI
Asghar SA see Bowden CL
Avenevoli S see Merikangas KR
Azorin JM see Tohen M

B

Bacaltchuk J see Appolinario JC
Badger GJ see Higgins ST
Baehr M see Kiefer F
Baer JS, Sampson PD, Barr HM, Connor PD, Streissguth AP: 21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking, 377 (Ap)
Bagary MS, Symms MR, Barker GJ, Mutsatsa SH, Joyce EM, Ron MA: Gray and white matter brain abnormalities in first-episode schizophrenia inferred from magnetization transfer imaging, 779 (Au)
Baghaei F see Melke J
Baker AS see Lyketsos CG
Baker RW see Tohen M
Barker GJ see Bagary MS
Barker PR see Kessler RC
Barr HM see Baer JS
Bassett AS see AbdelMalik P
Benabarre A see Colom F
Benes FM, Walsh J, Bhattacharyya S, Sheth A, Berretta S: DNA fragmentation decreased in schizophrenia but not bipolar disorder, 359 (Ap)
Berglund P see Kessler RC
Bergson C see Koh PO
Bernardy NC see Schnurr PP
Berretta S see Benes FM
Bertoldi A see Meltzer HY
Beymer K see Tohen M
Bhattacharyya S see Benes FM
Biebl W see Hudson JI
Bihrle S see Raine A
Bilder RM see Lencz T
Bjelland I, Tell GS, Vollset SE, Refsum H, Ueland PM: Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→*T* polymorphism in anxiety and depression: The Hordaland Homocysteine Study, 618 (Je)
Bjorntorp P see Melke J
Blazer DG see Charney DS
Bloom R see Kemether EM
Blumberg HP, Kaufman J, Martin A, Whiteman R, Zhang JH, Gore JC, Charney DS, Krystal JH, Peterson BS: Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder, 1201 (De)
Blumberg HP, Leung H-C, Skudlarski P, Lacadie CM, Fredericks CA, Harris BC, Charney DS, Gore JC, Krystal JH, Peterson BS: Functional magnetic resonance imaging study of bipolar disorder: state- and trait-related dysfunction in ventral prefrontal cortices, 601 (Je)
Boronow JJ see Dickerson FB
Borson S see Charney DS
Bourgeois M see Meltzer HY
Bouttros NN see Hoffman RE
Bowden CL, Calabrese JR, Sachs G, Yatham LN, Asghar SA, Hompland M, Montgomery P, Earl N, Smoot TM, DeVeaugh-Geiss J, Lamictal 606 Study Group: Placebo-controlled 18-month trial of lamotrigine and lithium maintenance treatment in recently manic or hypomanic patients with bipolar I disorder, 392 (Ap)
Bowden CL see Tohen M
Brandt J see Lyketsos CG
Breier A see Tohen M
Brennan PA see Hammen C
Breslau N, Davis GC, Schultz LR: Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma, 289 (Mr)
Brickman AM see Kemether EM
Bright J see Lam DH
Briken P see Kiefer F
Brodsky B see Oquendo MA
Bromberger JT see Jones DJ
Bronen R see Peterson BS
Broome MR see Kuperberg GR
Brown C see Charney DS
Brown GG see Tapert SF
Brown K see Luby JL
Brown SA see Tapert SF
Brown TL see Fitzgerald PB
Bruce ML see Charney DS
Bucholz KK see Jacob T
Buchsbaum MS see Davis KL; Kemether EM
Bueller JA see Zubieta J-K
Burbach JPH see Kromkamp M
Burt SA, Krueger RF, McGue M, Iacono W: Parent-child conflict and the comorbidity among childhood externalizing disorders, 505 (My)
Butera F see Kendler KS
Buxbaum J see Davis KL
Byrne W see Kemether EM
Byrne M, Agerbo E, Ewald H, Eaton WW, Mortenson PB: Parental age and risk of schizophrenia: a case-control study, 673 (Jy)

C

Calabrese JR see Bowden CL; Tohen M
Callahan CM see Charney DS
Campbell C see Oquendo MA
Canada AL see Fawzy FI
Cardno A see McGuffin P
Carlsson A see Gründer G
Carroll K see Hoffman RE
Carson WH see Potkin SG
Carter CS see MacDonald AW III
Caspi A see Kim-Cohen J
Centorrino F see Tohen M
Chantarujikapong S see Toomey R
Charatan DL see Keel PK
Charlson ME see Charney DS
Charney DS, Reynolds CF III, Lewis L, Lebowitz BD, Sunderland T, Alexopoulos GS, Blazer DG, Katz IR, Meyers BS, Arean PA, Borson S, Brown C, Bruce ML, Callahan CM, Charlson ME, Conwell Y, Cuthbert BN, Devanand DP, Gibson MJ, Gottlieb GL, Krishnan KR, Laden SK, Lyketsos CG, Mulsant BH, Niederehe G, Olin JT, Oslin DW, Pearson J, Persky T, Pollock BG, Raetzman S, Reynolds M, Salzman C, Schulz R, Schwenk TL, Scolnick E, Unützer J, Weissman MM, Young RC: Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life, 664 (Jy)
Charney DS see Blumberg HP
Chen N see Davis JM
Cheung EH see Tapert SF
Chouinard G see Meltzer HY
Chow EWC see AbdelMalik P
Ciechanowski P see Walker EA
Clark DM see Ehlers A
Claudino AM see Appolinario JC
Cleary PD see Dickey B
Cohen LS see Harlow BL
Coleman E see Malaspina D
Colletti P see Raine A
Colom F, Vieta E, Martinez-Aran A, Reinares M, Goikolea JM, Benabarre A, Torrent C, Comes M, Corbella B, Parramon G, Corominas J: Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission, 402 (Ap)
Colpe LJ see Kessler RC
Comes M see Colom F
Conley RR see Dwivedi Y
Connor PD see Baer JS
Constantino JN, Todd RD: Autistic traits in the general population: a twin study, 524 (My)
Conwell Y see Charney DS
Cooper TB see Oquendo MA
Cooper Z see Fairburn CG
Coppola R see Goldberg TE; Winterer G
Corbella B see Colom F
Corley RP see Rhee SH
Corominas J see Colom F
Cortes DE see Dickey B
Coryell W see Judd LL
Coryell W, Solomon DA, Turvey C, Keller MB, Leon AC, Endicott J, Schettler PJ, Judd LL, Mueller T: Long-term course of rapid-cycling bipolar disorder, 914 (Se)
Costello EJ, Mustillo S, Erkanli A, Keeler G, Angold A: Prevalence and development of psychiatric disorders in childhood and adolescence, 837 (Au)
Coutinho W see Appolinario JC
Crow S see Halmi K
Crowley TJ see Rhee SH
Crum RM see Daumit GL
Cuthbert BN see Charney DS
Czobor P see Fleischhacker WW

D

Dale AM see Kuperberg GR
Dantona RL see Higgins ST
Daskalakis ZJ see Fitzgerald PB
Daumit GL, Crum RM, Guallar E, Powe NR, Primm AB, Steinwachs DM, Ford DE: Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States, 121 (Fe)
David AS see Kuperberg GR
Davidson JR see Matza LS
Davis GC see Breslau N
Davis JM, Chen N, Glick ID: Meta-analysis of the efficacy of second-generation antipsychotics, 553 (Je)
Davis KL see Mathalon DH
Davis KL, Stewart DG, Friedman JI, Buchsbaum MS, Harvey PD, Hof PR, Buxbaum J, Haroutunian V: White matter changes in schizophrenia: evidence for myelin-related dysfunction, 443 (My)
de Castella A see Fitzgerald PB
De Col C see Hudson JI
de Haan L see Storosum JG
DelCampo L see Lyketsos CG
DePaulo JR see MacKinnon DF
Devanand DP see Charney DS
DeVeaugh-Geiss J see Bowden CL
Dew MA see Szanto K
di Michele F see Ströhle A
Dickerson FB, Boronow JJ, Stallings C, Origoni AE, Yolken RH: Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia, 466 (My)
Dickey B, Normand S-LT, Hermann RC, Eisen SV, Cortes DE, Cleary PD, Ware N: Guideline recommendations for treatment of schizophrenia: the impact of managed care, 340 (Ap)
Dodge H see Mulsant BH
Donham R see Higgins ST
Dorer DJ see Keel PK
Dube S see Tohen M
Dulcan MK see Abram KM; Teplin LA
Dwivedi Y, Rao JS, Rizavi HS, Kotowski J, Conley RR, Roberts RC, Tamminga CA, Pandey GN: Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects, 273 (Mr)
Dwivedi Y, Rizavi HS, Conley RR, Roberts RC, Tamminga CA, Pandey GN: Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects, 804 (Au)

AUTHOR INDEX TO VOLUME 60

In this index in alphabetical order are listed names of authors of all articles and letters. Full citation is given under first author only; reference is made from joint authors. Names which begin with a prefix are entered under the prefix. The month is given as a two-letter notation in parentheses.

A

AbdelMalik P, Husted J, Chow EWC, Bassett AS: Childhood head injury and expression of schizophrenia in multiply affected families, 231 (Mr)
Abram KM see Teplin LA
Abram KM, Teplin LA, McClelland GM, Dulcan MK: Comorbid psychiatric disorders in youth in juvenile detention, 1097 (No)
Acharyya S see Merikangas KR
Adolfsson R see Melke J
Agerbo E see Byrne M
Agid O, Kapur S, Arenovich T, Zipursky RB: Delayed-onset hypothesis of antipsychotic action: a hypothesis tested and rejected, 1228 (De)
Agras S see Halmi K
Akil H see Young EA
Akiskal HS see Judd LL
Aleman A, Kahn RS, Selten J-P: Sex differences in the risk of schizophrenia: evidence from meta-analysis, 565 (Je)
Alexopoulos GS see Charney DS
Ali M see Potkin SG
Alphs L see Meltzer HY
Altamura AC see Meltzer HY
Anand R see Meltzer HY
Andreasen NC see Ho B-C
Andrew M see McGuffin P
Angold A see Costello EJ
Angst J see Merikangas KR
Annas P see Hettema JM
Anthony S see Higgins ST
Appolinario JC, Bacaltchuk J, Sichieri R, Claudino AM, Godoy-Matos A, Morgan C, Zanella MT, Coutinho W: Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder, 1109 (No)
Arean PA see Charney DS
Arenovich T see Agid O
Arndt S see Ho B-C
Arnold SE see Turetsky BI
Asghar SA see Bowden CL
Avenevoli S see Merikangas KR
Azorin JM see Tohen M

B

Bacaltchuk J see Appolinario JC
Badger GJ see Higgins ST
Baehr M see Kiefer F
Baer JS, Sampson PD, Barr HM, Connor PD, Streissguth AP: 21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking, 377 (Ap)
Bagary MS, Symms MR, Barker GJ, Mutsatsa SH, Joyce EM, Ron MA: Gray and white matter brain abnormalities in first-episode schizophrenia inferred from magnetization transfer imaging, 779 (Au)
Baghaei F see Melke J
Baker AS see Lyketsos CG
Baker RW see Tohen M
Barker GJ see Bagary MS
Barker PR see Kessler RC
Barr HM see Baer JS
Bassett AS see AbdelMalik P
Benabarre A see Colom F
Benes FM, Walsh J, Bhattacharyya S, Sheth A, Berretta S: DNA fragmentation decreased in schizophrenia but not bipolar disorder, 359 (Ap)
Berglund P see Kessler RC
Bergson C see Koh PO
Bernardy NC see Schnurr PP
Berretta S see Benes FM
Bertoldi A see Meltzer HY
Beymer K see Tohen M
Bhattacharyya S see Benes FM
Biebl W see Hudson JI
Bihrle S see Raine A
Bilder RM see Lencz T
Bjelland I, Tell GS, Vollset SE, Refsum H, Ueland PM: Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→*T* polymorphism in anxiety and depression: The Hordaland Homocysteine Study, 618 (Je)
Bjorntorp P see Melke J
Blazer DG see Charney DS
Bloom R see Kemether EM
Blumberg HP, Kaufman J, Martin A, Whiteman R, Zhang JH, Gore JC, Charney DS, Krystal JH, Peterson BS: Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder, 1201 (De)
Blumberg HP, Leung H-C, Skudlarski P, Lacadie CM, Fredericks CA, Harris BC, Charney DS, Gore JC, Krystal JH, Peterson BS: Functional magnetic resonance imaging study of bipolar disorder: state- and trait-related dysfunction in ventral prefrontal cortices, 601 (Je)
Boronow JJ see Dickerson FB
Borson S see Charney DS
Bourgeois M see Meltzer HY
Bouttros NN see Hoffman RE
Bowden CL, Calabrese JR, Sachs G, Yatham LN, Asghar SA, Hompland M, Montgomery P, Earl N, Smoot TM, DeVeaugh-Geiss J, Lamictal 606 Study Group: Placebo-controlled 18-month trial of lamotrigine and lithium maintenance treatment in recently manic or hypomanic patients with bipolar I disorder, 392 (Ap)
Bowden CL see Tohen M
Brandt J see Lyketsos CG
Breier A see Tohen M
Brennan PA see Hammen C
Breslau N, Davis GC, Schultz LR: Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma, 289 (Mr)
Brickman AM see Kemether EM
Bright J see Lam DH
Briken P see Kiefer F
Brodsky B see Oquendo MA
Bromberger JT see Jones DJ
Bronen R see Peterson BS
Broome MR see Kuperberg GR
Brown C see Charney DS
Brown GG see Tapert SF
Brown K see Luby JL
Brown SA see Tapert SF
Brown TL see Fitzgerald PB
Bruce ML see Charney DS
Bucholz KK see Jacob T
Buchsbaum MS see Davis KL; Kemether EM
Bueller JA see Zubieta J-K
Burbach JPH see Kromkamp M
Burt SA, Krueger RF, McGue M, Iacono W: Parent-child conflict and the comorbidity among childhood externalizing disorders, 505 (My)
Butera F see Kendler KS
Buxbaum J see Davis KL
Byrne W see Kemether EM
Byrne M, Agerbo E, Ewald H, Eaton WW, Mortenson PB: Parental age and risk of schizophrenia: a case-control study, 673 (Jy)

C

Calabrese JR see Bowden CL; Tohen M
Callahan CM see Charney DS
Campbell C see Oquendo MA
Canada AL see Fawzy FI
Cardno A see McGuffin P
Carlsson A see Gründer G
Carroll K see Hoffman RE
Carson WH see Potkin SG
Carter CS see MacDonald AW III
Caspi A see Kim-Cohen J
Centorrino F see Tohen M
Chantarujikapong S see Toomey R
Charatan DL see Keel PK
Charlson ME see Charney DS
Charney DS, Reynolds CF III, Lewis L, Lebowitz BD, Sunderland T, Alexopoulos GS, Blazer DG, Katz IR, Meyers BS, Arean PA, Borson S, Brown C, Bruce ML, Callahan CM, Charlson ME, Conwell Y, Cuthbert BN, Devanand DP, Gibson MJ, Gottlieb GL, Krishnan KR, Laden SK, Lyketsos CG, Mulsant BH, Niederehe G, Olin JT, Oslin DW, Pearson J, Persky T, Pollock BG, Raetzman S, Reynolds M, Salzman C, Schulz R, Schwenk TL, Scolnick E, Unützer J, Weissman MM, Young RC: Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life, 664 (Jy)
Charney DS see Blumberg HP
Chen N see Davis JM
Cheung EH see Tapert SF
Chouinard G see Meltzer HY
Chow EWC see AbdelMalik P
Ciechanowski P see Walker EA
Clark DM see Ehlers A
Claudino AM see Appolinario JC
Cleary PD see Dickey B
Cohen LS see Harlow BL
Coleman E see Malaspina D
Colletti P see Raine A
Colom F, Vieta E, Martinez-Aran A, Reinares M, Goikolea JM, Benabarre A, Torrent C, Comes M, Corbella B, Parramon G, Corominas J: Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission, 402 (Ap)
Colpe LJ see Kessler RC
Comes M see Colom F
Conley RR see Dwivedi Y
Connor PD see Baer JS
Constantino JN, Todd RD: Autistic traits in the general population: a twin study, 524 (My)
Conwell Y see Charney DS
Cooper TB see Oquendo MA
Cooper Z see Fairburn CG
Coppola R see Goldberg TE; Winterer G
Corbella B see Colom F
Corley RP see Rhee SH
Corominas J see Colom F
Cortes DE see Dickey B
Coryell W see Judd LL
Coryell W, Solomon DA, Turvey C, Keller MB, Leon AC, Endicott J, Schettler PJ, Judd LL, Mueller T: Long-term course of rapid-cycling bipolar disorder, 914 (Se)
Costello EJ, Mustillo S, Erkanli A, Keeler G, Angold A: Prevalence and development of psychiatric disorders in childhood and adolescence, 837 (Au)
Coutinho W see Appolinario JC
Crow S see Halmi K
Crowley TJ see Rhee SH
Crum RM see Daumit GL
Cuthbert BN see Charney DS
Czobor P see Fleischhacker WW

D

Dale AM see Kuperberg GR
Dantona RL see Higgins ST
Daskalakis ZJ see Fitzgerald PB
Daumit GL, Crum RM, Guallar E, Powe NR, Primm AB, Steinwachs DM, Ford DE: Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States, 121 (Fe)
David AS see Kuperberg GR
Davidson JR see Matza LS
Davis GC see Breslau N
Davis JM, Chen N, Glick ID: Meta-analysis of the efficacy of second-generation antipsychotics, 553 (Je)
Davis KL see Mathalon DH
Davis KL, Stewart DG, Friedman JI, Buchsbaum MS, Harvey PD, Hof PR, Buxbaum J, Haroutunian V: White matter changes in schizophrenia: evidence for myelin-related dysfunction, 443 (My)
de Castella A see Fitzgerald PB
De Col C see Hudson JI
de Haan L see Storosum JG
DelCampo L see Lyketsos CG
DePaulo JR see MacKinnon DF
Devanand DP see Charney DS
DeVeaugh-Geiss J see Bowden CL
Dew MA see Szanto K
di Michele F see Ströhle A
Dickerson FB, Boronow JJ, Stallings C, Origoni AE, Yolken RH: Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia, 466 (My)
Dickey B, Normand S-LT, Hermann RC, Eisen SV, Cortes DE, Cleary PD, Ware N: Guideline recommendations for treatment of schizophrenia: the impact of managed care, 340 (Ap)
Dodge H see Mulsant BH
Donham R see Higgins ST
Dorer DJ see Keel PK
Dube S see Tohen M
Dulcan MK see Abram KM; Teplin LA
Dwivedi Y, Rao JS, Rizavi HS, Kotowski J, Conley RR, Roberts RC, Tamminga CA, Pandey GN: Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects, 273 (Mr)
Dwivedi Y, Rizavi HS, Conley RR, Roberts RC, Tamminga CA, Pandey GN: Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects, 804 (Au)

E

Earl N see Bowden CL
Eaton WW see Byrne M; Kessler RC
Eddy KT see Keel PK
Eddy M see Kuperberg GR
Egan MF see Goldberg TE; Winterer G
Ehlers A, Clark DM, Hackmann A, McManus F, Fennell M, Herbert C, Mayou R: Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder, 1024 (Oc)
Eisen SA see Toomey R
Eisen SV see Dickey B
Ekblad U see Laine K
Emsley RA see Tohen M
Endicott J see Coryell W; Judd LL
Epstein JF see Kessler RC
Eriksson E see Melke J
Erkanli A see Costello EJ
Escobar J see Minsky S
Evans AR see Tohen M
Ewald H see Byrne M; Mortensen PB

F

Fairburn CG, Cooper Z: Relapse in bulimia nervosa (letter) 850 (Au)
Fataone SV see Toomey R
Farmer A, Mahmood A, Redman K, Harris T, Sadler S, McGuffin P: Sib-pair study of the temperament and character inventory scales in major depression, 490 (My)
Fawzy FI, Canada AL, Fawzy NW: Malignant melanoma: effects of a brief, structured psychiatric intervention on survival and recurrence at 10-year follow-up, 100 (Ja)
Fawzy NW see Fawzy FI
Fennell M see Ehlers A
Fergusson DM, Horwood LJ, Lynskey MT, Madden PAF: Early reactions to cannabis predict later dependence, 1033 (Oc)
Fischl B see Kuperberg GR
Fitzgerald PB, Brown TL, Marston NAU, Daskalakis ZJ, de Castella A, Kulkarni J: Transcranial magnetic stimulation in the treatment of depression: a double-blind, placebo-controlled trial, 1002 (Oc)
Flaum M see Ho B-C
Fleischhacker WW, Czobor P, Hummer M, Kemmler G, Kohnen R, Volavka J: Placebo or active control trials of antipsychotic drugs? 438 (My)
Ford DE see Daumit GL
Foy DW see Schnurr PP
Frangakis C see Lyketsos CG
Frank LR see Tapert SF
Franko D see Keel PK
Frasure-Smith N, Lesperance F: Depression and other psychological risks following myocardial infarction, 627 (Je)
Fredericks CA see Blumberg HP
Fredrikson M see Hettema JM
Freund H-J see Schneider F
Friedman JI see Davis KL
Friedman MJ see Schnurr PP
Frisman L see Rosenheck R
Fu Q see Jacob T
Fukushima T see Hashimoto K
Fulbright RK see Potenza MN

G

Gajewsky G see Strohle A
Gameroff MJ see Olfson M
Ganguli M see Mulsant BH
Gara M see Minsky S
Gardner CO see Kendler KS
George EL see Miklowitz DJ
Gershon E see MacKinnon DF
Gfroerer JC see Kessler RC
Gibson MJ see Charney DS
Glaser R, Robles TF, Sheridan J, Malarkey WB, Kiecolt-Glaser JK: Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults, 1009 (Oc)
Glick ID see Davis JM
Glynn SM see Schnurr PP
Godoy-Matos A see Appolinario JC
Golf D see Kuperberg GR
Goikolea JM see Colom F
Goldberg JF see Tohen M
Goldberg TE, Egan MF, Gscheidle T, Coppola R, Weickert T, Kolachana BS, Goldman D, Weinberger DR: Executive subprocesses in working memory: relationship to catechol-o-methyltransferase Val158Met genotype and schizophrenia, 889 (Se)
Goldman D see Goldberg TE
Goldman RS see Lencz T
Goldman-Rakic PS see Koh PO; Selemon LD
Gonzalez-Pinto Arrillaga AM see Tohen M
Goodwin RD, Jacobi F, Thefeld W: Mental disorders and asthma in the community, 1125 (No)
Gore JC see Blumberg HP; Potenza MN
Gottlieb GL see Charney DS
Green AI see Meltzer HY
Greenberg T see Olfson M
Grunder G, Carlsson A, Wong DF: Mechanism of new antipsychotic medications: occupancy is not just antagonism, 974 (Oc)
Gscheidle T see Goldberg TE
Guallar E see Daumit GL
Gueorguieva R see Hoffman RE
Gupta S see Swanson J
Gur RE see Turetsky BI
Gutweniger S see Hudson JI

H

Habel U see Schneider F
Haber R see Jacob T
Hackmann A see Ehlers A
Halmi K, Agras S, Mitchell J, Wilson T, Crow S: Relapse in bulimia nervosa (letter) 850 (Au)
Hammen C, Brennan PA: Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample, 253 (Mr)
Hardy-Bayle M-C see Tohen M
Harlow BL, Wise LA, Otto MW, Soares CN, Cohen LS: Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles, 29 (Ja)
Haroutunian V see Davis KL
Harrington H see Kim-Cohen J
Harris BC see Blumberg HP
Harris JC:
A Rake's Progress: "Bedlam" 338 (Ap)
Camille on her deathbed, 13 (Ja)
Evocation: The Burial of Casagemas 868 (Se)
La Vie 968 (Oc)
Pinel Delivering the Insane 532 (Je)
Pinel Orders the Chains Removed From the Insane at Bicêtre 442 (My)
Portrait of Dr. Gachet, 59:1083 (De); correction, 60:197 (Fe)
Still Life with Open Bible and Zola's La Joie de Vivre, 1182 (De)
The Obsession of Envy (*Monomanie de l'envie*), 764 (Au); correction, 903 (Se)
The Suicide of Dorothy Hale 661 (Jy)
The Wood of the Self-Murderers: The Harpies and the Suicides 229 (Mr)
Waterlilies: Green Reflections 120 (Fe)
Yard With Madmen (El Corral de Locos) 1068 (No)
Harris T see Farmer A
Harvard/Veterans Affairs Post-traumatic Stress Disorder Twin Study Investigators see Orr SP
Harvey PD see Davis KL
Hasegawa H see Hashimoto K
Hashimoto K, Fukushima T, Shimizu E, Komatsu N, Watanabe H, Shinoda N, Nakazato M, Kumakiri C, Okada S-i, Hasegawa H, Imai K, Iyo M: Decreased serum levels of D-serine in patients with schizophrenia: evidence in support of the N-methyl-D-aspartate receptor hypofunction hypothesis of schizophrenia, 572 (Je)
Hasselstrom J see Westman J
Hausmann A see Hudson JI
Hawkins KA see Hoffman RE
Hayward P see Lam DH
Hazlett EA see Kemether EM
Haznedar M see Kemether EM
Heath A see Jacob T
Heffelfinger A see Luby JL
Heikkinen T see Laine K
Heil SH see Higgins ST
Hellemons AJC.GM see Kromkamp M
Hellenbrand I see van Minnen A
Hellige JB see Raine A
Helwig H see Kiefer F
Hendriks G-J see van Minnen A
Herbert C see Ehlers A
Herman MM see Selemon LD
Hermann B see Strohle A
Hermann RC see Dickey B
Herzog DB see Keel PK
Hessler M see Luby JL
Hettema JM, Annas P, Neale MC, Kendler KS, Fredrikson M: Twin study of the genetics of fear conditioning, 702 (Jy)
Hettema JM see Kendler KS
Hewitt JK see Rhee SH
Higgins ST, Sigmon SC, Wong CJ, Heil SH, Badger GJ, Donham R, Dantona RL, Anthony S: Community reinforcement therapy for cocaine-dependent outpatients, 1043 (Oc)
Hirayasu Y see Kasai K
Hiripi E see Kessler RC
Ho B-C, Andreasen NC, Nopoulos P, Arndt S, Magnotta V, Flaum M: Progressive structural brain abnormalities and their relationship to clinical outcome: a longitudinal magnetic resonance imaging study early in schizophrenia, 585 (Je)
Hof PR see Davis KL
Hoffman RE, Hawkins KA, Gueorguieva R, Boutros NN, Rachid F, Carroll K, Krystal JH: Transcranial magnetic stimulation of left temporoparietal cortex and medication-resistant auditory hallucinations, 49 (Ja)
Hofler M see Isensee B
Holm G see Melke J
Holsboer F see Strohle A
Holzbach R see Kiefer F
Hompland M see Bowden CL
Hoogduin KAL see van Minnen A
Horwood LJ see Fergusson DM
Houck P see Szanto K
Howes MJ see Kessler RC
Hsieh FY see Schnurr PP
Hu FB see Orr SP
Hudson JI, Mangweth B, Pope HG Jr, De Col C, Hausmann A, Gutweniger S, Laird NM, Biebl W, Tsuang MT: Family study of affective spectrum disorder, 170 (Fe)
Hummer M see Fleischhacker WW
Husted J see AbdelMalik P

I

Iacono W see Burt SA
Ichimiya T see Suhara T
Ikoma Y see Suhara T
Imai K see Hashimoto K
Ingenito G see Potkin SG
Inoue M see Suhara T
InterSePT Study Group see Meltzer HY
Isensee B, Wittchen H-U, Stein MB, Hofler M, Lieb R: Smoking increases the risk of panic: findings from a prospective community study, 692 (Jy)
Ishikawa S see Raine A
Islam MZ see Meltzer HY
Iyo M see Hashimoto K

J

Jacob T, Waterman B, Heath A, True W, Bucholz KK, Haber R, Scherrer J, Fu Q: Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design, 1265 (De)
Jacobi F see Goodwin RD
Jahn H see Kiefer F
Johansson S-E see Westman J
Johnson MK see MacDonald AW III
Jolesz FA see Kasai K; Onitsuka T
Jones DJ, Bromberger JT, Sutton-Tyrrell K, Matthews KA: Lifetime history of depression and carotid atherosclerosis in middle-aged women, 153 (Fe)
Jones DW see Winterer G
Joyce EM see Bagary MS
Judd LL, Akiskal HS, Schettler PJ, Coryell W, Endicott J, Maser JD, Solomon DA, Leon AC, Keller MB: Prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar II disorder, 261 (Mr)
Judd LL see Coryell W

K

Kahn RS see Aleman A; Kromkamp M
Kaloupek D see Newman E
Kampf P see Kiefer F
Kane JM see Lencz T; Meltzer HY
Kane MJ see Peterson BS
Kapur S see Agid O
Kasai K see Onitsuka T
Kasai K, Shenton ME, Salisbury DF, Hirayasu Y, Onitsuka T, Spencer MH, Yurgelun-Todd DA, Kikinis R, Jolesz FA, McCarley RW: Progressive decrease of left Heschl gyrus and planum temporale gray matter volume in first-episode schizophrenia: a longitudinal magnetic resonance imaging study, 766 (Au)
Kasai K, Shenton ME, Salisbury DF, Onitsuka T, Toner SK, Yurgelun-Todd DA, Kikinis R, Jolesz FA, McCarley RW: Differences and similarities in insular and temporal pole MRI gray matter volume abnormalities in first-episode schizophrenia and affective psychosis, 1069 (No)
Kasprow W see Rosenheck R
Katon WJ, Lin E, Russo J, Unutzer J: Increased medical costs of a population-based sample of depressed elderly patients, 897 (Se)
Katon WJ see Walker EA
Katz IR see Charney DS
Katz R see McGuffin P
Kaufman J see Blumberg HP
Keel PK, Dorer DJ, Eddy KT, Franko D, Charatan DL, Herzog DB: Predictors of mortality in eating disorders, 179 (Fe)
Keeler G see Costello EJ
Kegeles LS see Oquendo MA
Keijsers GPJ see van Minnen A
Keilp J see Oquendo MA
Keller MB see Coryell W; Judd LL
Kemether EM, Buchsbaum MS, Byne W, Hazlett EA, Haznedar M, Brickman AM, Platholi J, Bloom R: Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia, 983 (Oc)
Kemmler G see Fleischhacker WW
Kendler KS, Hettema JM, Butera F, Gardner CO, Prescott CA: Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety, 789 (Au)

Kendler KS, Prescott CA, Myers J, Neale MC: Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women. 929 (Se)
Kendler KS see Hettema JM; Sullivan PF
Kero P see Laine K
Kerr N see Lam DH
Kessler RC, Barker PR, Colpe LJ, Epstein JF, Gfroerer JC, Hiripi E, Howes MJ, Normand S-LT, Manderscheid RW, Walters EE, Zaslavsky AM: Screening for serious mental illness in the general population, 184 (Fe)
Kessler RC, Merikangas KR, Berglund P, Eaton WW, Koretz DS, Walters EE: Mild disorders should not be eliminated from the *DSM-V* 1117 (No)
Ketter TA see Tohen M; Zubieta J-K
Khan A see Storosum JG
Kiecolt-Glaser JK see Glaser R
Kiefer F, Jahn H, Tarnaske T, Helwig H, Briken P, Holzbach R, Kämpf P, Stracke R, Baehr M, Naber D, Wiedemann K: Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study, 92 (Ja)
Kiknis R see Kasai K; Onitsuka T
Kilbourn MR see Zubieta J-K
Kim-Cohen J, Caspi A, Moffitt TE, Harrington H, Milne BJ, Poulton R: Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort, 709 (Jy)
King RA see Peterson BS
Kirshner M see Mulsant BH
Kleinman JE see Selemon LD
Koeppe RA see Zubieta J-K
Koh PO, Bergson C, Undie AS, Goldman-Rakic PS, Lidow MS: Up-regulation of the D1 dopamine receptor–interacting protein, calcyon, in patients with schizophrenia, 311 (Mr)
Kohnen R see Fleischhacker WW
Kolachana BS see Goldberg TE
Komatsu N see Hashimoto K
Koretz DS see Kessler RC
Kornischka J see Schneider F
Kotler M see Strous RD
Kotowski J see Dwivedi Y
Krishnan KR see Charney DS; Meltzer HY; Taylor WD
Kromkamp M, Uylings HBM, Smidt MP, Hellemons AJCGM, Burbach JPH, Kahn RS: Decreased thalamic expression of the homeobox gene *DLX1* in psychosis, 869 (Se)
Krueger RF see Burt SA
Krystal JH see Blumberg HP; Hoffman RE; Mathalon DH
Kujawa MJ see Potkin SG
Kulkarni J see Fitzgerald PB
Kumakiri C see Hashimoto K
Kuperberg GR, Broome MR, McGuire PK, David AS, Eddy M, Ozawa F, Goff D, West WC, Williams SCR, van der Kouwe AJW, Salat DH, Dale AM, Fischl B: Regionally localized thinning of the cerebral cortex in schizophrenia, 878 (Se)

L

Lacadie CM see Blumberg HP; Potenza MN
Lacasse L see Raine A
Laden SK see Charney DS
Laine K, Heikkinen T, Ekblad U, Kero P: Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations, 720 (Jy)
Laird NM see Hudson JI
Lam A see Swanson J
Lam DH, Watkins ER, Hayward P, Bright J, Wright K, Kerr N, Parr-Davis G, Sham P: Randomized controlled study of cognitive therapy for relapse prevention for bipolar affective disorder: outcome of the first year, 145 (Fe)
Lamictal 606 Study Group see Bowden CL
Landen M see Melke J
Lapidus R see Strous RD
Lasko NB see Orr SP
Lavori PW see Schnurr PP
Lawson WB see Tohen M
Lebowitz BD see Charney DS
Leckman JF see Peterson BS
Lee M see Raine A
Lencz T, Bilder RM, Turkel E, Goldman RS, Robinson D, Kane JM, Lieberman JA: Impairments in perceptual competency and maintenance on a visual delayed match-to-sample test in first-episode schizophrenia, 238 (Mr)
Lencz T see Raine A
Leon AC see Coryell W; Judd LL
Lerner M see Swanson J
Lesperance F see Frasure-Smith N
Leung H-C see Blumberg HP
Lewis L see Charney DS
Lidow MS see Koh PO
Lieb R see Isensee B
Lieberman JA see Lencz T
Lim KO see Mathalon DH
Lin E see Katon WJ
Lindemulder E see Swanson J
Lindenmayer J-P see Meltzer HY
Liu-Mares W see Rosenheck R
Lopez JF see Young EA
Luby JL, Heffelfinger A, Mrakotsky C, Brown K, Hessler M, Spitznagel E: Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups, 1248 (De)
Lustig M see Strous RD
Lyketsos CG, DelCampo L, Steinberg M, Miles Q, Steele CD, Munro C, Baker AS, Sheppard J-ME, Frangakis C, Brandt J, Rabins PV: Treating depression in Alzheimer disease: efficacy and safety of sertraline therapy, and the benefits of depression reduction: the DIADS, 737 (Jy)
Lyketsos CG see Charney DS
Lynskey MT see Fergusson DM
Lyons MJ see Toomey R

M

Maayan R see Strous RD
MacDonald AW III, Pogue-Geile MF, Johnson MK, Carter CS: Specific deficit in context processing in the unaffected siblings of patients with schizophrenia, 57 (Ja)
MacFall JR see Taylor WD
MacKinnon DF, Zandi PP, Gershon E, Nurnberger JI Jr, Reich T, DePaulo JR: Rapid switching of mood in families with multiple cases of bipolar disorder, 921 (Se)
Macklin ML see Orr SP
Madden PAF see Fergusson DM
Magnotta V see Ho B-C
Mahmood A see Farmer A
Malarkey WB see Glaser R
Malaspina D, Coleman E: Olfaction and social drive in schizophrenia, 578 (Je)
Malone KM see Oquendo MA
Manderscheid RW see Kessler RC
Mangweth B see Hudson JI
Mann JJ see Oquendo MA
Marcus SC see Olfson M
Marder SR see Potkin SG
Marin DB see Silverman JM
Marston NAU see Fitzgerald PB
Martin A see Blumberg HP
Martinez-Aran A see Colom F
Maser JD see Judd LL
Mathalon DH, Pfefferbaum A, Lim KO, Rosenbloom MJ, Sullivan EV: Compounded brain volume deficits in schizophrenia-alcoholism comorbidity, 245 (Mr)
Mathalon DH, Rapoport JL, Davis KL, Krystal JH: Neurotoxicity, neuroplasticity, and magnetic resonance imaging morphometry (letter) 846 (Au)
Matthews KA see Jones DJ
Matza LS, Revicki DA, Davidson JR, Stewart JW: Depression with atypical features in the National Comorbidity Survey: classification, description, and consequences, 817 (Au)
Mayou R see Ehlers A
McCarley RW see Kasai K; Onitsuka T
McClelland GM see Abram KM; Teplin LA
McClure RK see Weinberger DR
McGue M see Burt SA
McGuffin P, Rijsdijk F, Andrew M, Sham P, Katz R, Cardno A: Heritability of bipolar affective disorder and the genetic relationship to unipolar depression, 497 (My)
McGuffin P see Farmer A
McGuire PK see Kuperberg GR
McManus F see Ehlers A
McNeil TF see Schubert EW
McQuoid DR see Taylor WD
Melbye M see Mortensen PB
Melke J, Westberg L, Nilsson S, Landen M, Soderstrom H, Baghaei F, Rosmond R, Holm G, Björntorp P, Nilsson L-G, Adolfsson R, Eriksson E: Polymorphism in the serotonin receptor 3A (*HTR3A*) gene and its association with harm avoidance in women, 1017 (Oc)
Meloy MJ see Tapert SF
Meltzer HY, Alphs L, Green AI, Altamura AC, Anand R, Bertoldi A, Bourgeois M, Chouinard G, Islam MZ, Kane JM, Krishnan KR, Lindenmayer J-P, Potkin SG, Inter-SePT Study Group: Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT), 82 (Ja); correction, 735 (Jy)
Merikangas KR see Kessler RC
Merikangas KR, Zhang H, Avenevoli S, Acharyya S, Neuenschwander M, Angst J: Longitudinal trajectories of depression and anxiety in a prospective community study: the Zurich Cohort Study, 993 (Oc)
Metzger LJ see Orr SP
Meyers BS see Charney DS
Miklowitz DJ, George EL, Richards JA, Simoneau TL, Suddath RL: Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder, 904 (Se)
Miles Q see Lyketsos CG
Milne BJ see Kim-Cohen J
Minsky S, Vega W, Miskimen T, Gara M, Escobar J: Diagnostic patterns in Latino, African American, and European American psychiatric patients, 637 (Je)
Miskimen T see Minsky S
Mitchell J see Halmi K
Mitchell PB see Tohen M
Moberg PJ see Turetsky BI
Modi N see Swanson J
Moffitt TE see Kim-Cohen J
Mohs RC see Silverman JM
Montgomery P see Bowden CL
Morgan C see Appolinario JC
Mors O see Mortensen PB
Mortensen PB, Pedersen CB, Melbye M, Mors O, Ewald H: Individual and familial risk factors for bipolar affective disorders in Denmark, 1209 (De)
Mortensen PB see Qin P
Mortenson PB see Byrne M
Mrakotsky C see Luby JL
Mrzljak J see Selemon LD
Mueller T see Coryell W
Mulsant BH, Pollock BG, Kirshner M, Shen C, Dodge H, Ganguli M: Serum anticholinergic activity in a community-based sample of older adults: relationship with cognitive performance, 198 (Fe)
Mulsant BH see Charney DS; Szanto K
Munro C see Lyketsos CG
Murphy-Weinberg V see Young EA
Mustillo S see Costello EJ
Mutsatsa SH see Bagary MS
Myers J see Kendler KS

N

Naber D see Kiefer F
Nakazato M see Hashimoto K
Namjoshi MA see Tohen M
Neale MC see Hettema JM; Kendler KS; Sullivan PF
Nestor PG see Onitsuka T
Neuenschwander M see Merikangas KR
Newman E, Kaloupek D: Posttraumatic stress disorder among criminally involved youth (letter) 849 (Au)
Newman E see Walker EA
Niederehe G see Charney DS
Nielsen S:
Standardized mortality ratio in bulimia nervosa (letter) 851 (Au)
Standardized mortality ratio in bulimia nervosa, 982 (Oc)
Nilsson L-G see Melke J
Nilsson S see Melke J
Nopoulos P see Ho B-C
Normand S-LT see Dickey B; Kessler RC
Nurnberger JI Jr see MacKinnon DF

O

Ohayon MM, Schatzberg AF: Using chronic pain to predict depressive morbidity in the general population, 39 (Ja)
Okada S-i see Hashimoto K
Okubo Y see Suhara T
Olfson M, Gameroff MJ, Marcus SC, Waslick BD: Outpatient treatment of child and adolescent depression in the United States, 1236 (De)
Olfson M, Shaffer D, Marcus SC, Greenberg T: Relationship between antidepressant medication treatment and suicide in adolescents, 978 (Oc)
Olin JT see Charney DS
Onitsuka T see Kasai K
Onitsuka T, Shenton ME, Kasai K, Nestor PG, Toner SK, Kikinis R, Jolesz FA, McCarley RW: Fusiform gyrus volume reduction and facial recognition in chronic schizophrenia, 349 (Ap)
Oquendo MA, Placidi GPA, Malone KM, Campbell C, Keilp J, Brodsky B, Kegeles LS, Cooper TB, Parsey RV, Van Heertum RL, Mann JJ: Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression, 14 (Ja)
Origoni AE see Dickerson FB
Orr SP, Metzger LJ, Lasko NB, Macklin ML, Hu FB, Shalev AY, Pitman RK, Harvard/Veterans Affairs Post-traumatic Stress Disorder Twin Study Investigators: Physiologic responses to sudden, loud tones in monozygotic twins discordant for combat exposure: association with posttraumatic stress disorder, 283 (Mr)
Oslin DW see Charney DS
Otto MW see Harlow BL
Ozawa F see Kuperberg GR

P

Pandey GN see Dwivedi Y
Parr-Davis G see Lam DH
Parramon G see Colom F
Parsey RV see Oquendo MA
Pasini A see Strohle A
Paulus MP see Tapert SF
Payne ME see Taylor WD
Pearson J see Charney DS
Pedersen CB see Mortensen PB
Persky T see Charney DS
Peterson BS see Blumberg HP
Peterson BS, Thomas P, Kane MJ, Scahill L, Zhang H, Bronen R, King RA, Leckman JF, Staib L: Basal ganglia volumes in patients with Gilles de la Tourette syndrome, 415 (Ap)

Pfefferbaum A see Mathalon DH
Pitman RK see Orr SP
Placidi GPA see Oquendo MA
Platholi J see Kemether EM
Pogue-Geile MF see MacDonald AW III
Pollock BG see Charney DS; Mulsant BH
Pope HG Jr see Hudson JI
Potenza MN, Steinberg MA, Skudlarski P, Fulbright RK, Lacadie CM, Wilber MK, Rounsaville BJ, Gore JC, Wexler BE: Gambling urges in pathological gambling: a functional magnetic resonance imaging study, 828 (Au)
Potkin SG, Saha AR, Kujawa MJ, Carson WH, Ali M, Stock E, Stringfellow J, Ingenito G, Marder SR: Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder, 681 (Jy)
Potkin SG see Meltzer HY
Poulton R see Kim-Cohen J
Powe NR see Daumit GL
Prescott CA see Kendler KS
Primm AB see Daumit GL
Propper CB see Silverman JM
Provenzale JM see Taylor WD

Q

Qin P, Mortensen PB: Impact of parental status on the risk of completed suicide, 797 (Au)

R

Rabins PV see Lyketsos CG
Rachid F see Hoffman RE
Raedler T see Winterer G
Raetzman S see Charney DS
Raine A, Lencz T, Taylor K, Hellige JB, Bihrle S, Lacasse L, Lee M, Ishikawa S, Colletti P: Corpus callosum abnormalities in psychopathic antisocial individuals, 1134 (No)
Rao JS see Dwivedi Y
Rapoport JL see Mathalon DH
Redman K see Farmer A
Refsum H see Bjelland I
Regel S see Schneider F
Reich T see MacKinnon DF
Reinares M see Colom F
Revicki DA see Matza LS
Reynolds CF III see Charney DS; Szanto K
Reynolds M see Charney DS
Rhee SH, Hewitt JK, Young SE, Corley RP, Crowley TJ, Stallings MC: Genetic and environmental influences on substance initiation, use, and problem use in adolescents, 1256 (De)
Richards JA see Miklowitz DJ
Rijsdijk F see McGuffin P
Risser RC see Tohen M
Rizavi HS see Dwivedi Y
Roalf DR see Turetsky BI
Roberts RC see Dwivedi Y
Robinson D see Lencz T
Robles TF see Glaser R
Romeo E see Ströhle A
Ron MA see Bagary MS
Rosenbloom MJ see Mathalon DH
Rosenheck R, Kasprow W, Frisman L, Liu-Mares W: Cost-effectiveness of supported housing for homeless persons with mental illness, 940 (Se)
Rosmond R see Melke J
Rounsaville BJ see Potenza MN
Rupprecht R see Ströhle A
Ruslanova I see Dickerson FB
Russo J see Katon WJ; Walker EA
Rutter M: Interplay of nature, nurture, and developmental influences: the challenge ahead for mental health, 59: 996 (No); correction, 60:203 (Fe)

S

Sachs G see Bowden CL; Tohen M
Sadler S see Farmer A
Saha AR see Potkin SG
Salat DH see Kuperberg GR
Salisbury DF see Kasai K
Salzman C see Charney DS
Sampson PD see Baer JS
Sanchez C see Winterer G
Scahill L see Peterson BS
Schatzberg AF see Ohayon MM
Scherrer J see Jacob T
Schettler PJ see Coryell W; Judd LL
Schneider F, Habel U, Volkmann J, Regel S, Kornischka J, Sturm V, Freund H-J: Deep brain stimulation of the subthalamic nucleus enhances emotional processing in Parkinson disease, 296 (Mr)
Schnurr PP, Friedman MJ, Foy DW, Shea MT, Hsieh FY, Lavori PW, Glynn SM, Wattenberg M, Bernardy NC: Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study, 481 (My)
Schubert EW, McNeil TF: Prospective study of adult mental disturbance in offspring of women with psychosis, 473 (My)
Schultz LR see Breslau N
Schulz R see Charney DS
Schweinsburg AD see Tapert SF
Schwenk TL see Charney DS
Scolnick E see Charney DS
Seidman LJ see Toomey R
Selemon LD, Mrzljak J, Kleinman JE, Herman MM, Goldman-Rakic PS: Regional specificity in the neuropathologic substrates of schizophrenia: a morphometric analysis of Broca's area 44 and area 9, 69 (Ja)
Selten J-P see Aleman A
Shaffer D see Olfson M
Shalev AY see Orr SP
Sham P see Lam DH; McGuffin P
Shea MT see Schnurr PP
Shen C see Mulsant BH
Shenton ME see Kasai K; Onitsuka T
Sheppard J-ME see Lyketsos CG
Sheridan J see Glaser R
Sheth A see Benes FM
Shimizu E see Hashimoto K
Shinoda N see Hashimoto K
Shoulson I see Swanson J
Sichieri R see Appolinario JC
Sigmon SC see Higgins ST
Silverman JM, Smith CJ, Marin DB, Mohs RC, Propper CB: Familial patterns of risk in very late-onset Alzheimer disease, 190 (Fe)
Simoneau TL see Miklowitz DJ
Skudlarski P see Blumberg HP; Potenza MN
Smidt MP see Kromkamp M
Smith CJ see Silverman JM
Smoot TM see Bowden CL
Snyder SH: Forty years of neurotransmitters: a personal account, 59:983 (No); correction, 60:65 (Ja)
Soares CN see Harlow BL
Soderstrom H see Melke J
Solomon DA see Coryell W; Judd LL
Spencer MH see Kasai K
Spitznagel E see Luby JL
Staib L see Peterson BS
Stallings C see Dickerson FB
Stallings MC see Rhee SH
Steele CD see Lyketsos CG
Steffens DC see Taylor WD
Stein MB see Isensee B
Steinberg M see Lyketsos CG
Steinberg MA see Potenza MN
Steinwachs DM see Daumit GL
Stewart DG see Davis KL
Stewart JW see Matza LS
Stock E see Potkin SG
Storosum JG, van Zwieten BJ, Wohlfarth T, de Haan L, Khan A, van den Brink W: Suicide risk in placebo vs active treatment in placebo-controlled trials for schizophrenia, 365 (Ap)
Stracke R see Kiefer F
Streissguth AP see Baer JS
Stringfellow J see Potkin SG
Ströhle A, Romeo E, di Michele F, Pasini A, Hermann B, Gajewsky G, Holsboer F, Rupprecht R: Induced panic attacks shift γ-aminobutyric acid type A receptor modulatory neuroactive steroid composition in patients with panic disorder: preliminary results, 161 (Fe)
Strous RD, Maayan R, Lapidus R, Stryjer R, Lustig M, Kotler M, Weizman A: Dehydroepiandrosterone augmentation in the management of negative, depressive, and anxiety symptoms in schizophrenia, 133 (Fe)
Stryjer R see Strous RD
Sturm V see Schneider F
Suddath RL see Miklowitz DJ
Sudo Y see Suhara T
Suhara T, Takano A, Sudo Y, Ichimiya T, Inoue M, Yasuno F, Ikoma Y, Okubo Y: High levels of serotonin transporter occupancy with low-dose clomipramine in comparative occupancy study with fluvoxamine using positron emission tomography, 386 (Ap)
Sullivan EV see Mathalon DH
Sullivan PF, Kendler KS, Neale MC: Schizophrenia as a complex trait: evidence from a meta-analysis of twin studies, 1187 (De)
Sunderland T see Charney DS
Sundquist J see Westman J
Sutton-Tyrrell K see Jones DJ
Swanson J, Gupta S, Lam A, Shoulson I, Lerner M, Modi N, Lindemulder E, Wigal S: Development of a new once-a-day formulation of methylphenidate for the treatment of attention-deficit/hyperactivity disorder: proof-of-concept and proof-of-product studies, 204 (Fe)
Symms MR see Bagary MS
Szanto K, Mulsant BH, Houck P, Dew MA, Reynolds CF III: Occurrence and course of suicidality during short-term treatment of late-life depression, 610 (Je)

T

Takano A see Suhara T
Tamminga CA see Dwivedi Y
Tapert SF, Cheung EH, Brown GG, Frank LR, Paulus MP, Schweinsburg AD, Meloy MJ, Brown SA: Neural response to alcohol stimuli in adolescents with alcohol use disorder, 727 (Jy)
Tarnaske T see Kiefer F
Taylor K see Raine A
Taylor WD, Steffens DC, MacFall JR, McQuoid DR, Payne ME, Provenzale JM, Krishnan KR: White matter hyperintensity progression and late-life depression outcomes, 1090 (No)
Tell GS see Bjelland I
Teplin LA, Abram KM, McClelland GM, Dulcan MK: Posttraumatic stress disorder among criminally involved youth (letter) 849 (Au)
Teplin LA see Abram KM
Thefeld W see Goodwin RD
Thomas P see Peterson BS
Todd RD see Constantino JN
Tohen M, Goldberg JF, Gonzalez-Pinto Arrillaga AM, Azorin JM, Vieta E, Hardy-Bayle M-C, Lawson WB, Emsley RA, Zhang F, Baker RW, Risser RC, Namjoshi MA, Evans AR, Breier A: 12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania, 1218 (De)
Tohen M, Vieta E, Calabrese JR, Ketter TA, Sachs G, Bowden CL, Mitchell PB, Centorrino F, Risser RC, Baker RW, Evans AR, Beymer K, Dubé S, Tollefson GD, Breier A: Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression, 1079 (No)
Tollefson GD see Tohen M
Toner SK see Kasai K; Onitsuka T
Toomey R, Lyons MJ, Eisen SA, Xian H, Chantarujikapong S, Seidman LJ, Faraone SV, Tsuang MT: Twin study of the neuropsychological consequences of stimulant abuse, 303 (Mr)
Torrent C see Colom F
True W see Jacob T
Tsuang MT see Hudson JI; Toomey R
Turetsky BI, Moberg PJ, Roalf DR, Arnold SE, Gur RE: Decrements in volume of anterior ventromedial temporal lobe and olfactory dysfunction in schizophrenia, 1193 (De)
Turkel E see Lencz T
Turvey C see Coryell W

U

Ueland PM see Bjelland I
Undie AS see Koh PO
Unützer J see Charney DS; Katon WJ
Uylings HBM see Kromkamp M

V

van den Brink W see Storosum JG
van der Kouwe AJW see Kuperberg GR
Van Heertum RL see Oquendo MA
van Minnen A, Hoogduin KAL, Keijsers GPJ, Hellenbrand I, Hendriks G-J: Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study, 517 (My)
van Zwieten BJ see Storosum JG
Vega W see Minsky S
Vieta E see Colom F; Tohen M
Volavka J see Fleischhacker WW
Volkmann J see Schneider F
Vollset SE see Bjelland I

W

Wagner AW see Walker EA
Walker EA, Katon WJ, Russo J, Ciechanowski P, Newman E, Wagner AW: Health care costs associated with posttraumatic stress disorder symptoms in women, 369 (Ap)
Walsh J see Benes FM
Walters EE see Kessler RC
Ware N see Dickey B
Waslick BD see Olfson M
Watanabe H see Hashimoto K
Waterman B see Jacob T
Watkins ER see Lam DH
Watson SJ see Young EA
Wattenberg M see Schnurr PP
Weickert T see Goldberg TE
Weinberger DR, McClure RK: Neurotoxicity, neuroplasticity, and magnetic resonance imaging morphometry (letter) 848 (Au)
Weinberger DR see Goldberg TE; Winterer G
Weissman MM see Charney DS
Weizman A see Strous RD
West WC see Kuperberg GR
Westberg L see Melke J
Westman J, Hasselström J, Johansson S-E, Sundquist J: Influences of place of birth and socioeconomic factors on attempted suicide in a defined population of 4.3 million people, 409 (Ap)
Wexler BE see Potenza MN
Whiteman R see Blumberg HP
Wiedemann K see Kiefer F
Wigal S see Swanson J

Wilber MK see Potenza MN
Williams SCR see Kuperberg GR
Wilson T see Halmi K
Winterer G, Egan MF, Raedler T, Sanchez C, Jones DW, Coppola R, Weinberger DR: P300 and genetic risk for schizophrenia, 1158 (No)
Wise LA see Harlow BL
Wittchen H-U see Isensee B
Wohlfarth T see Storosum JG
Wong CJ see Higgins ST
Wong DF see Gründer G
Wright K see Lam DH

X

Xian H see Toomey R
Xu Y see Zubieta J-K

Y

Yasuno F see Suhara T
Yatham LN see Bowden CL
Yolken RH see Dickerson FB
Young EA, Lopez JF, Murphy-Weinberg V, Watson SJ, Akil H: Mineralocorticoid receptor function in major depression, 24 (Ja)
Young EA see Zubieta J-K
Young RC see Charney DS
Young SE see Rhee SH

Yurgelun-Todd DA see Kasai K

Z

Zandi PP see MacKinnon DF
Zanella MT see Appolinario JC
Zaslavsky AM see Kessler RC
Zhang F see Tohen M
Zhang H see Merikangas KR; Peterson BS
Zhang JH see Blumberg HP
Zipursky RB see Agid O
Zubieta J-K, Ketter TA, Bueller JA, Xu Y, Kilbourn MR, Young EA, Koeppe RA: Regulation of human affective responses by anterior cingulate and limbic μ-opioid neurotransmission, 1145 (No)

SUBJECT INDEX TO VOLUME 60

The following index is an alphabetical list of significant subjects presented in this volume.

A

Acamprosate
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Acoustic Stimulation
Physiologic responses to sudden, loud tones in monozygotic twins discordant for combat exposure: association with posttraumatic stress disorder [Orr] 283 (Mr)
Adenosine Monophosphate
Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects [Dwivedi] 273 (Mr)
Adolescent Behavior
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Adolescent Psychology
Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder [Blumberg] 1201 (De)
Comorbid psychiatric disorders in youth in juvenile detention [Abram] 1097 (No)
Early reactions to cannabis predict later dependence [Fergusson] 1033 (Oc)
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Neural response to alcohol stimuli in adolescents with alcohol use disorder [Tapert] 727 (Jy)
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Posttraumatic stress disorder among criminally involved youth (letter) [Newman] (reply) [Teplin] 849 (Au)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Relationship between antidepressant medication treatment and suicide in adolescents [Olfson] 978 (Oc)
Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample [Hammen] 253 (Mr)
Smoking increases the risk of panic: findings from a prospective community study [Isensee] 692 (Jy)
Adrenal Gland Hyperfunction
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)
Advertising
Neural response to alcohol stimuli in adolescents with alcohol use disorder [Tapert] 727 (Jy)
Affect
Functional magnetic resonance imaging study of bipolar disorder: state- and trait-related dysfunction in ventral prefrontal cortices [Blumberg] 601 (Je)
Regulation of human affective responses by anterior cingulate and limbic μ-opioid neurotransmission [Zubieta] 1145 (No)
Affective Disorders see Mood Disorders
Affective Psychosis, Bipolar see Bipolar Disorder
Affective Spectrum Disorder
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Age Factors
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Age of Onset
Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life [Charney] 664 (Jy)
Familial patterns of risk in very late-onset Alzheimer disease [Silverman] 190 (Fe)
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Alcoholism
Community reinforcement therapy for cocaine-dependent outpatients [Higgins] 1043 (Oc)
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Compounded brain volume deficits in schizophrenia-alcoholism comorbidity [Mathalon] 245 (Mr)
Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design [Jacob] 1265 (De)
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Neural response to alcohol stimuli in adolescents with alcohol use disorder [Tapert] 727 (Jy)
Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma [Breslau] 289 (Mr)
Predictors of mortality in eating disorders [Keel] 179 (Fe)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking [Baer] 377 (Ap)
Alzheimer Disease
Familial patterns of risk in very late-onset Alzheimer disease [Silverman] 190 (Fe)
Treating depression in Alzheimer disease: efficacy and safety of sertraline therapy, and the benefits of depression reduction: the DIADS [Lyketsos] 737 (Jy)
Ambulatory Care
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Amisulpride
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Amphetamine-Related Disorders
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Amygdala
Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder [Blumberg] 1201 (De)
Anorexia Nervosa
Predictors of mortality in eating disorders [Keel] 179 (Fe)
Antidepressive Agents
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Relationship between antidepressant medication treatment and suicide in adolescents [Olfson] 978 (Oc)
Antidepressive Agents, Tricyclic
Long-term course of rapid-cycling bipolar disorder [Coryell] 914 (Se)
Antipsychotic Agents
Delayed-onset hypothesis of antipsychotic action: a hypothesis tested and rejected [Agid] 1228 (De)
Mechanism of new antipsychotic medications: occupancy is not just antagonism [Gründer] 974 (Oc)
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)
Placebo or active control trials of antipsychotic drugs? [Fleischhacker] 458 (My)
Antisocial Personality Disorder
Corpus callosum abnormalities in psychopathic antisocial individuals [Raine] 1134 (No)
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Anxiety Disorders
Comorbid psychiatric disorders in youth in juvenile detention [Abram] 1097 (No)
Dehydroepiandrosterone augmentation in the management of negative, depressive, and anxiety symptoms in schizophrenia [Strous] 133 (Fe)
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→T polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)
Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety [Kendler] 789 (Au)
Longitudinal trajectories of depression and anxiety in a prospective community study: the Zurich Cohort Study [Merikangas] 993 (Oc)
Mental disorders and asthma in the community [Goodwin] 1125 (No)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort [Kim-Cohen] 709 (Jy)
Smoking increases the risk of panic: findings from a prospective community study [Isensee] 692 (Jy)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Apoptosis
DNA fragmentation decreased in schizophrenia but not bipolar disorder [Benes] 359 (Ap)
Aripiprazole
Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder [Potkin] 681 (Jy)
Mechanism of new antipsychotic medications: occupancy is not just antagonism [Gründer] 974 (Oc)
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
ART AND IMAGES IN PSYCHIATRY (Harris JC, ed)
A Rake's Progress: "Bedlam" [Harris] 338 (Ap)
Camille on her deathbed [Harris] 13 (Ja)
Evocation: The Burial of Casagemas [Harris] 868 (Se)
La Vie [Harris] 968 (Oc)
Pinel Delivering the Insane [Harris] 552 (Je)
Pinel Orders the Chains Removed From the Insane at Bicêtre [Harris] 442 (My)
Still Life with Open Bible and Zola's La Joie de Vivre [Harris] 1182 (De)
The Obsession of Envy (Monomanie de l'envie) [Harris] 764 (Au); correction, 903 (Se)
The Suicide of Dorothy Hale [Harris] 661 (Jy)
The Wood of the Self-Murderers: The Harpies and the Suicides [Harris] 229 (Mr)
Waterlilies: Green Reflections [Harris] 120 (Fe)

Yard With Madmen (El Corral de Locos) [Harris] 1068 (No)
Arteriosclerosis
Lifetime history of depression and carotid atherosclerosis in middle-aged women [Jones] 153 (Fe)
Asthma
Mental disorders and asthma in the community [Goodwin] 1125 (No)
Attention
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Attention Deficit Disorder with Hyperactivity
Comorbid psychiatric disorders in youth in juvenile detention [Abram] 1097 (No)
Development of a new once-a-day formulation of methylphenidate for the treatment of attention-deficit/hyperactivity disorder: proof-of-concept and proof-of-product studies [Swanson] 204 (Fe)
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Parent-child conflict and the comorbidity among childhood externalizing disorders [Burt] 505 (My)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Auditory Perception
Transcranial magnetic stimulation of left temporoparietal cortex and medication-resistant auditory hallucinations [Hoffman] 49 (Ja)
Autistic Disorder
Autistic traits in the general population: a twin study [Constantino] 524 (My)
Automobile Collisions
Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder [Ehlers] 1024 (Oc)
Avoidant Personality Disorder see Personality Disorders

B

Basal Ganglia
Basal ganglia volumes in patients with Gilles de la Tourette syndrome [Peterson] 415 (Ap)
Behavior Therapy
Community reinforcement therapy for cocaine-dependent outpatients [Higgins] 1043 (Oc)
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Relapse in bulimia nervosa (letter) [Fairburn] (reply) [Halmi] 850 (Au)
Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study [van Minnen] 517 (My)
Bereavement
Impact of parental status on the risk of completed suicide [Qin] 797 (Au)
Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety [Kendler] 789 (Au)
Binge-Eating Disorder see Bulimia
Biological Markers
Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects [Dwivedi] 273 (Mr)
Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects [Dwivedi] 804 (Au)
Decreased serum levels of D-serine in patients with schizophrenia: evidence in support of the N-methyl-D-aspartate receptor hypofunction hypothesis of schizophrenia [Hashimoto] 572 (Je)
Up-regulation of the D1 dopamine receptor–interacting protein, calcyon, in patients with schizophrenia [Koh] 311 (Mr)
Bipolar Disorder
Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder [Blumberg] 1201 (De)
Decreased thalamic expression of the homeobox gene *DLX1* in psychosis [Kromkamp] 869 (Se)
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Differences and similarities in insular and temporal pole MRI gray matter volume abnormalities in first-episode schizophrenia and affective psychosis [Kasai] 1069 (No)
DNA fragmentation decreased in schizophrenia but not bipolar disorder [Benes] 359 (Ap)
Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression [Tohen] 1079 (No)
Functional magnetic resonance imaging study of bipolar disorder: state- and trait-related dysfunction in ventral prefrontal cortices [Blumberg] 601 (Je)
Heritability of bipolar affective disorder and the genetic relationship to unipolar depression [McGuffin] 497 (My)
Individual and familial risk factors for bipolar affective disorders in Denmark [Mortensen] 1209 (De)
Long-term course of rapid-cycling bipolar disorder [Coryell] 914 (Se)
Placebo-controlled 18-month trial of lamotrigine and lithium maintenance treatment in recently manic or hypomanic patients with bipolar I disorder [Bowden] 392 (Ap)
Prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar II disorder [Judd] 261 (Mr)
Randomized controlled study of cognitive therapy for relapse prevention for bipolar affective disorder: outcome of the first year [Lam] 145 (Fe)
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission [Colom] 402 (Ap)
Rapid switching of mood in families with multiple cases of bipolar disorder [MacKinnon] 921 (Se)
12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania [Tohen] 1218 (De)
Blacks
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)
Blake, William (1757-1827)
The Wood of the Self-Murderers: The Harpies and the Suicides [Harris] 229 (Mr)
Brain Volume
Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder [Blumberg] 1201 (De)
Basal ganglia volumes in patients with Gilles de la Tourette syndrome [Peterson] 415 (Ap)
Compounded brain volume deficits in schizophrenia-alcoholism comorbidity [Mathalon] 245 (Mr)
Corpus callosum abnormalities in psychopathic antisocial individuals [Raine] 1134 (No)
Decrements in volume of anterior ventromedial temporal lobe and olfactory dysfunction in schizophrenia [Turetsky] 1193 (De)
Differences and similarities in insular and temporal pole MRI gray matter volume abnormalities in first-episode schizophrenia and affective psychosis [Kasai] 1069 (No)
Fusiform gyrus volume reduction and facial recognition in chronic schizophrenia [Onitsuka] 349 (Ap)
Gray and white matter brain abnormalities in first-episode schizophrenia inferred from magnetization transfer imaging [Bagary] 779 (Au)
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)
Neurotoxicity, neuroplasticity, and magnetic resonance imaging morphometry (letter) [Mathalon] 846 (reply) [Weinberger] 848 (Au)
Progressive decrease of left Heschl gyrus and planum temporale gray matter volume in first-episode schizophrenia: a longitudinal magnetic resonance imaging study [Kasai] 766 (Au)
Progressive structural brain abnormalities and their relationship to clinical outcome: a longitudinal magnetic resonance imaging study early in schizophrenia [Ho] 585 (Je)
Regionally localized thinning of the cerebral cortex in schizophrenia [Kuperberg] 878 (Se)
White matter hyperintensity progression and late-life depression outcomes [Taylor] 1090 (No)
Broca Area see Frontal Lobe
Bulimia
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Predictors of mortality in eating disorders [Keel] 179 (Fe)
Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder [Appolinario] 1109 (No)
Relapse in bulimia nervosa (letter) [Fairburn] (reply) [Halmi] 850 (Au)
Standardized mortality ratio in bulimia nervosa [Nielsen] 982 (Oc)
Standardized mortality ratio in bulimia nervosa (letter) [Nielsen] 851 (Au)

C

Cannabis
Early reactions to cannabis predict later dependence [Fergusson] 1033 (Oc)
Carotid Stenosis
Lifetime history of depression and carotid atherosclerosis in middle-aged women [Jones] 153 (Fe)
Cataplexy
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Catechol O-Methyltransferase
Executive subprocesses in working memory: relationship to catechol-o-methyltransferase Val158Met genotype and schizophrenia [Goldberg] 889 (Se)
Centromedian Thalamic Nucleus see Intralaminar Thalamic Nuclei
Cerebral Cortex
Regionally localized thinning of the cerebral cortex in schizophrenia [Kuperberg] 878 (Se)
Child Psychology
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)
Development of a new once-a-day formulation of methylphenidate for the treatment of attention-deficit/hyperactivity disorder: proof-of-concept and proof-of-product studies [Swanson] 204 (Fe)
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Parent-child conflict and the comorbidity among childhood externalizing disorders [Burt] 505 (My)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort [Kim-Cohen] 709 (Jy)
Cholinergic Antagonists
Serum anticholinergic activity in a community-based sample of older adults: relationship with cognitive performance [Mulsant] 198 (Fe)
Climacteric
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)
Clomipramine
High levels of serotonin transporter occupancy with low-dose clomipramine in comparative occupancy study with fluvoxamine using positron emission tomography [Suhara] 386 (Ap)
Clozapine
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Cocaine-Related Disorders
Community reinforcement therapy for cocaine-dependent outpatients [Higgins] 1043 (Oc)
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Cognition Disorders
Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia [Dickerson] 466 (My)
Executive subprocesses in working memory: relationship to catechol-o-methyltransferase Val158Met genotype and schizophrenia [Goldberg] 889 (Se)
Impairments in perceptual competency and maintenance on a visual delayed match-to-sample test in first-episode schizophrenia [Lencz] 238 (Mr)
Serum anticholinergic activity in a community-based sample of older adults: relationship with cognitive performance [Mulsant] 198 (Fe)
Specific deficit in context processing in the unaffected siblings of patients with schizophrenia [MacDonald] 57 (Ja)
Cognitive Therapy
Randomized controlled study of cognitive therapy for relapse prevention for bipolar affective disorder: outcome of the first year [Lam] 145 (Fe)
Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder [Ehlers] 1024 (Oc)
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Relapse in bulimia nervosa (letter) [Fairburn] (reply) [Halmi] 850 (Au)
Colonic Diseases, Functional
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Community Outreach see Community-Institutional Relations
Community Reinforcement Therapy
Community reinforcement therapy for cocaine-dependent outpatients [Higgins] 1043 (Oc)
Community-Institutional Relations
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Conduct Disorder
Parent-child conflict and the comorbidity among childhood externalizing disorders [Burt] 505 (My)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
CONSENSUS STATEMENTS
Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life [Charney] 664 (Jy)
Corpus Callosum
Corpus callosum abnormalities in psychopathic antisocial individuals [Raine] 1134 (No)
CORRECTIONS
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Forty years of neurotransmitters: a personal account [Snyder] 59:983 (No); correction, 60:65 (Ja)
Interplay of nature, nurture, and developmental influ-

ences: the challenge ahead for mental health [Rutter] 59: 996 (No); correction, 60:203 (Fe)
Portrait of Dr. Gachet [Harris] 59:1083 (De); correction, 60: 197 (Fe)
Standardized mortality ratio in bulimia nervosa [Nielsen] 982 (Oc)
The Obsession of Envy (*Monomanie de l'envie*) [Harris] 764 (Au); correction, 903 (Se)

Corticotropin
Mineralocorticoid receptor function in major depression [Young] 24 (Ja)

Cortisol see Hydrocortisone

Costs and Cost Analysis
Cost-effectiveness of supported housing for homeless persons with mental illness [Rosenheck] 940 (Se)
Health care costs associated with posttraumatic stress disorder symptoms in women [Walker] 369 (Ap)
Increased medical costs of a population-based sample of depressed elderly patients [Katon] 897 (Se)

Craniocerebral Trauma
Childhood head injury and expression of schizophrenia in multiply affected families [AbdelMalik] 231 (Mr)

Cues
Neural response to alcohol stimuli in adolescents with alcohol use disorder [Tapert] 727 (Jy)

Cultural Characteristics
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)

Cytokines
Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults [Glaser] 1009 (Oc)

D

Data Collection
Standardized mortality ratio in bulimia nervosa [Nielsen] 982 (Oc)
Standardized mortality ratio in bulimia nervosa (letter) [Nielsen] 851 (Au)

Data Interpretation, Statistical
Placebo or active control trials of antipsychotic drugs? [Fleischhacker] 458 (My)

Deep Brain Stimulation
Deep brain stimulation of the subthalamic nucleus enhances emotional processing in Parkinson disease [Schneider] 296 (Mr)

Dehydroepiandrosterone see Prasterone

Delivery of Health Care
Guideline recommendations for treatment of schizophrenia: the impact of managed care [Dickey] 340 (Ap)
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)

Demyelinating Diseases
White matter changes in schizophrenia: evidence for myelin-related dysfunction [Davis] 443 (My)

Depression
Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects [Dwivedi] 273 (Mr)
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)
Dehydroepiandrosterone augmentation in the management of negative, depressive, and anxiety symptoms in schizophrenia [Strous] 133 (Fe)
Depression and other psychological risks following myocardial infarction [Frasure-Smith] 627 (Je)
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→T polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)
Heritability of bipolar affective disorder and the genetic relationship to unipolar depression [McGuffin] 497 (My)
Increased medical costs of a population-based sample of depressed elderly patients [Katon] 897 (Se)
Lifetime history of depression and carotid atherosclerosis in middle-aged women [Jones] 153 (Fe)
Longitudinal trajectories of depression and anxiety in a prospective community study: the Zurich Cohort Study [Merikangas] 993 (Oc)
Long-term course of rapid-cycling bipolar disorder [Coryell] 914 (Se)
Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults [Glaser] 1009 (Oc)
Occurrence and course of suicidality during short-term treatment of late-life depression [Szanto] 610 (Je)
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar II disorder [Judd] 261 (Mr)
Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample [Hammen] 253 (Mr)
Transcranial magnetic stimulation in the treatment of depression: a double-blind, placebo-controlled trial [Fitzgerald] 1002 (Oc)
White matter hyperintensity progression and late-life depression outcomes [Taylor] 1090 (No)

Depression, Atypical
Depression with atypical features in the National Comorbidity Survey: classification, description, and consequences [Matza] 817 (Au)

Depression, Involutional
Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects [Dwivedi] 804 (Au)
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety [Kendler] 789 (Au)
Mineralocorticoid receptor function in major depression [Young] 24 (Ja)
Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression [Oquendo] 14 (Ja)
Sib-pair study of the temperament and character inventory scales in major depression [Farmer] 490 (My)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Treating depression in Alzheimer disease: efficacy and safety of sertraline therapy, and the benefits of depression reduction: the DIADS [Lyketsos] 737 (Jy)
Using chronic pain to predict depressive morbidity in the general population [Ohayon] 39 (Ja)

Diagnosis
Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life [Charney] 664 (Jy)
Depression with atypical features in the National Comorbidity Survey: classification, description, and consequences [Matza] 817 (Au)
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Mild disorders should not be eliminated from the *DSM-V* [Kessler] 1117 (No)

Diagnostic Imaging
Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression [Oquendo] 14 (Ja)
Progressive structural brain abnormalities and their relationship to clinical outcome: a longitudinal magnetic resonance imaging study early in schizophrenia [Ho] 585 (Je)

Disability Evaluation
Depression with atypical features in the National Comorbidity Survey: classification, description, and consequences [Matza] 817 (Au)

Disease Management
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)

Disease Progression
Longitudinal trajectories of depression and anxiety in a prospective community study: the Zurich Cohort Study [Merikangas] 993 (Oc)
Long-term course of rapid-cycling bipolar disorder [Coryell] 914 (Se)
Neurotoxicity, neuroplasticity, and magnetic resonance imaging morphometry (letter) [Mathalon] 846 (reply) [Weinberger] 848 (Au)
Progressive decrease of left Heschl gyrus and planum temporale gray matter volume in first-episode schizophrenia: a longitudinal magnetic resonance imaging study [Kasai] 766 (Au)
Prospective investigation of the natural history of the long-term weekly symptomatic status of bipolar II disorder [Judd] 261 (Mr)

Disruptive Behavior Disorder see Attention Deficit and Disruptive Behavior Disorders

DNA Fragmentation
DNA fragmentation decreased in schizophrenia but not bipolar disorder [Benes] 359 (Ap)

Dopamine Antagonists
Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder [Potkin] 681 (Jy)
Mechanism of new antipsychotic medications: occupancy is not just antagonism [Grunder] 974 (Oc)

Dopamine D1 Receptors see Receptors, Dopamine D1

Dose-Response Relationship, Drug
Delayed-onset hypothesis of antipsychotic action: a hypothesis tested and rejected [Agid] 1228 (De)
Development of a new once-a-day formulation of methylphenidate for the treatment of attention-deficit/hyperactivity disorder: proof-of-concept and proof-of-product studies [Swanson] 204 (Fe)
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)

Drug Reaction, Adverse
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults [Glaser] 1009 (Oc)
12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania [Tohen] 1218 (De)

Drug Therapy, Combination
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression [Tohen] 1079 (No)

DSM
Mild disorders should not be eliminated from the *DSM-V* [Kessler] 1117 (No)

Dysthymic Disorder
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Increased medical costs of a population-based sample of depressed elderly patients [Katon] 897 (Se)

E

Eating Disorders
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Predictors of mortality in eating disorders [Keel] 179 (Fe)
Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder [Appolinario] 1109 (No)
Relapse in bulimia nervosa (letter) [Fairburn] (reply) [Halmi] 850 (Au)
Standardized mortality ratio in bulimia nervosa [Nielsen] 982 (Oc)
Standardized mortality ratio in bulimia nervosa (letter) [Nielsen] 851 (Au)

Elderly
Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life [Charney] 664 (Jy)
Familial patterns of risk in very late-onset Alzheimer disease [Silverman] 190 (Fe)
Increased medical costs of a population-based sample of depressed elderly patients [Katon] 897 (Se)
Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults [Glaser] 1009 (Oc)
Occurrence and course of suicidality during short-term treatment of late-life depression [Szanto] 610 (Je)
Serum anticholinergic activity in a community-based sample of older adults: relationship with cognitive performance [Mulsant] 198 (Fe)
White matter hyperintensity progression and late-life depression outcomes [Taylor] 1090 (No)

Emigration and Immigration
Influences of place of birth and socioeconomic factors on attempted suicide in a defined population of 4.5 million people [Westman] 409 (Ap)

Emotions
Regulation of human affective responses by anterior cingulate and limbic μ-opioid neurotransmission [Zubieta] 1145 (No)

Environmental Exposure
Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design [Jacob] 1265 (De)
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Individual and familial risk factors for bipolar affective disorders in Denmark [Mortensen] 1209 (De)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Twin study of the genetics of fear conditioning [Hettema] 702 (Jy)

Epidemiologic Studies
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Mild disorders should not be eliminated from the *DSM-V* [Kessler] 1117 (No)
Using chronic pain to predict depressive morbidity in the general population [Ohayon] 39 (Ja)

Estradiol
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)

Ethics, Medical
Placebo or active control trials of antipsychotic drugs? [Fleischhacker] 458 (My)
Suicide risk in placebo vs active treatment in placebo-controlled trials for schizophrenia [Storosum] 365 (Ap)

Ethnic Groups
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)
Event-Related Potentials, P300
P300 and genetic risk for schizophrenia [Winterer] 1158 (No)

F

Face Recognition
Fusiform gyrus volume reduction and facial recognition in chronic schizophrenia [Onitsuka] 349 (Ap)
Fear
Twin study of the genetics of fear conditioning [Hettema] 702 (Jy)
Fibromyalgia
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Fluoxetine
Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression [Tohen] 1079 (No)
Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study [van Minnen] 517 (My)
Fluvoxamine
High levels of serotonin transporter occupancy with low-dose clomipramine in comparative occupancy study with fluvoxamine using positron emission tomography [Suhara] 386 (Ap)
Folic Acid
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→*T* polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)
Follicle Stimulating Hormone
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)
Frontal Lobe
Regional specificity in the neuropathologic substrates of schizophrenia: a morphometric analysis of Broca's area 44 and area 9 [Selemon] 69 (Ja)
Fusiform Gyrus
Fusiform gyrus volume reduction and facial recognition in chronic schizophrenia [Onitsuka] 349 (Ap)

G

Gambling
Gambling urges in pathological gambling: a functional magnetic resonance imaging study [Potenza] 828 (Au)
gamma-Aminobutyric Acid Receptors see Receptors, GABA
Gene Expression
Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects [Dwivedi] 273 (Mr)
Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects [Dwivedi] 804 (Au)
Decreased thalamic expression of the homeobox gene *DLX1* in psychosis [Kromkamp] 869 (Se)
Up-regulation of the D1 dopamine receptor–interacting protein, calcyon, in patients with schizophrenia [Koh] 311 (Mr)
Genes, Homeobox
Decreased thalamic expression of the homeobox gene *DLX1* in psychosis [Kromkamp] 869 (Se)
Genetic Predisposition to Disease
Autistic traits in the general population: a twin study [Constantino] 524 (My)
Childhood head injury and expression of schizophrenia in multiply affected families [AbdelMalik] 231 (Mr)
Executive subprocesses in working memory: relationship to catechol-o-methyltransferase Val158Met genotype and schizophrenia [Goldberg] 889 (Se)
Familial patterns of risk in very late-onset Alzheimer disease [Silverman] 190 (Fe)
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→*T* polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)
Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design [Jacob] 1265 (De)
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Heritability of bipolar affective disorder and the genetic relationship to unipolar depression [McGuffin] 497 (My)
Individual and familial risk factors for bipolar affective disorders in Denmark [Mortensen] 1209 (De)
P300 and genetic risk for schizophrenia [Winterer] 1158 (No)
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Schizophrenia as a complex trait: evidence from a meta-analysis of twin studies [Sullivan] 1187 (De)
Sib-pair study of the temperament and character inventory scales in major depression [Farmer] 490 (My)
Specific deficit in context processing in the unaffected siblings of patients with schizophrenia [MacDonald] 57 (Ja)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Twin study of the genetics of fear conditioning [Hettema] 702 (Jy)
Gericault, Theodore (1791-1824)
The Obsession of Envy (Monomanie de l'envie) [Harris] 764 (Au); correction, 903 (Se)
Glucocorticoid Receptors see Receptors, Glucocorticoid
Goya y Lucientes, Francisco José de (1746-1828)
Yard With Madmen (El Corral de Locos) [Harris] 1068 (No)
Grey Matter Density
Regional specificity in the neuropathologic substrates of schizophrenia: a morphometric analysis of Broca's area 44 and area 9 [Selemon] 69 (Ja)
Group Therapy see Psychotherapy, Group
Guidelines
Guideline recommendations for treatment of schizophrenia: the impact of managed care [Dickey] 340 (Ap)

H

Hallucinations
Transcranial magnetic stimulation of left temporoparietal cortex and medication-resistant auditory hallucinations [Hoffman] 49 (Ja)
Haloperidol
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania [Tohen] 1218 (De)
Head Injuries see Craniocerebral Trauma
Health Services Accessibility
Outpatient treatment of child and adolescent depression in the United States [Olfson] 1236 (De)
Heart Rate
Physiologic responses to sudden, loud tones in monozygotic twins discordant for combat exposure: association with posttraumatic stress disorder [Orr] 283 (Mr)
Herpes Simplex Virus 1 see Herpesvirus 1, Human
Herpesvirus 1, Human
Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia [Dickerson] 466 (My)
Hippocampus
Amygdala and hippocampal volumes in adolescents and adults with bipolar disorder [Blumberg] 1201 (De)
Hispanic Americans
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)
History of Medicine
Pinel Orders the Chains Removed From the Insane at Bicêtre [Harris] 442 (My)
Hogarth, William (1697-1764)
A Rake's Progress: "Bedlam" [Harris] 338 (Ap)
Homeless Persons
Cost-effectiveness of supported housing for homeless persons with mental illness [Rosenheck] 940 (Se)
Homeotic Genes see Genes, Homeobox
Homocysteine
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→*T* polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)
Housing
Cost-effectiveness of supported housing for homeless persons with mental illness [Rosenheck] 940 (Se)
Human Development
Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort [Kim-Cohen] 709 (Jy)
Hydrocortisone
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)
Mineralocorticoid receptor function in major depression [Young] 24 (Ja)
Hydroxyindoleacetic Acid
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
Hypothalamus
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)

I

Immunoassay
Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia [Dickerson] 466 (My)
Influenza Vaccine
Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults [Glaser] 1009 (Oc)
Intelligence
Olfaction and social drive in schizophrenia [Malaspina] 578 (Je)
Interleukin-6
Mild depressive symptoms are associated with amplified and prolonged inflammatory responses after influenza virus vaccination in older adults [Glaser] 1009 (Oc)
Intralaminar Thalamic Nuclei
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)
Irritable Bowel Syndrome see Colonic Diseases, Functional

J

Juvenile Delinquency
Comorbid psychiatric disorders in youth in juvenile detention [Abram] 1097 (No)
Posttraumatic stress disorder among criminally involved youth (letter) [Newman] (reply) [Teplin] 849 (Au)

K

Kahlo Calderón, Frida (1907-1954)
The Suicide of Dorothy Hale [Harris] 661 (Jy)

L

Lamotrigine
Placebo-controlled 18-month trial of lamotrigine and lithium maintenance treatment in recently manic or hypomanic patients with bipolar I disorder [Bowden] 392 (Ap)
Legislation, Medical
Screening for serious mental illness in the general population [Kessler] 184 (Fe)
Levodopa
Deep brain stimulation of the subthalamic nucleus enhances emotional processing in Parkinson disease [Schneider] 296 (Mr)
Lithium
Placebo-controlled 18-month trial of lamotrigine and lithium maintenance treatment in recently manic or hypomanic patients with bipolar I disorder [Bowden] 392 (Ap)
Luteinizing Hormone
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)

M

Magnetic Resonance Imaging
Differences and similarities in insular and temporal pole MRI gray matter volume abnormalities in first-episode schizophrenia and affective psychosis [Kasai] 1069 (No)
Functional magnetic resonance imaging study of bipolar disorder: state- and trait-related dysfunction in ventral prefrontal cortices [Blumberg] 601 (Je)
Gambling urges in pathological gambling: a functional magnetic resonance imaging study [Potenza] 828 (Au)
Gray and white matter brain abnormalities in first-episode schizophrenia inferred from magnetization transfer imaging [Bagary] 779 (Au)
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)
Neurotoxicity, neuroplasticity, and magnetic resonance imaging morphometry (letter) [Mathalon] 846 (reply) [Weinberger] 848 (Au)
Progressive decrease of left Heschl gyrus and planum temporale gray matter volume in first-episode schizophrenia: a longitudinal magnetic resonance imaging study [Kasai] 766 (Au)
Progressive structural brain abnormalities and their relationship to clinical outcome: a longitudinal magnetic resonance imaging study early in schizophrenia [Ho] 585 (Je)
Magnetic Stimulation, Transcranial
Transcranial magnetic stimulation in the treatment of depression: a double-blind, placebo-controlled trial [Fitzgerald] 1002 (Oc)
Transcranial magnetic stimulation of left temporoparietal cortex and medication-resistant auditory hallucinations [Hoffman] 49 (Ja)
Managed Care Programs
Guideline recommendations for treatment of schizophrenia: the impact of managed care [Dickey] 340 (Ap)
Manic Disorder see Bipolar Disorder
Marijuana Abuse
Genetic and environmental influences on substance initia-

tion, use, and problem use in adolescents [Rhee] 1256 (De)
Mass Screening
Screening for serious mental illness in the general population [Kessler] 184 (Fe)
Medicaid
Guideline recommendations for treatment of schizophrenia: the impact of managed care [Dickey] 340 (Ap)
Mediodorsal Thalamic Nucleus
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)
Melanoma
Malignant melanoma: effects of a brief, structured psychiatric intervention on survival and recurrence at 10-year follow-up [Fawzy] 100 (Ja)
Memory Disorders
Executive subprocesses in working memory: relationship to catechol-o-methyltransferase Val158Met genotype and schizophrenia [Goldberg] 889 (Se)
Impairments in perceptual competency and maintenance on a visual delayed match-to-sample test in first-episode schizophrenia [Lencz] 238 (Mr)
Men
Sex differences in the risk of schizophrenia: evidence from meta-analysis [Aleman] 565 (Je)
Menopause
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)
Menstrual Cycle
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)
Meta-Analysis
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Schizophrenia as a complex trait: evidence from a meta-analysis of twin studies [Sullivan] 1187 (De)
Sex differences in the risk of schizophrenia: evidence from meta-analysis [Aleman] 565 (Je)
Methylphenidate
Development of a new once-a-day formulation of methylphenidate for the treatment of attention-deficit/hyperactivity disorder: proof-of-concept and proof-of-product studies [Swanson] 204 (Fe)
Migraine
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Military Medicine
Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study [Schnurr] 481 (My)
Mineralocorticoid Receptors see Receptors, Mineralocorticoid
Monet, Claude (1840-1926)
Camille on her deathbed [Harris] 13 (Ja)
Waterlilies: Green Reflections [Harris] 120 (Fe)
Mood Disorders
Comorbid psychiatric disorders in youth in juvenile detention [Abram] 1097 (No)
Deep brain stimulation of the subthalamic nucleus enhances emotional processing in Parkinson disease [Schneider] 296 (Mr)
Depression and Bipolar Support Alliance consensus statement on the unmet needs in diagnosis and treatment of mood disorders in late life [Charney] 664 (Jy)
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
Mental disorders and asthma in the community [Goodwin] 1125 (No)
Rapid switching of mood in families with multiple cases of bipolar disorder [MacKinnon] 921 (Se)
Mood see Affect
Mortality
Depression and other psychological risks following myocardial infarction [Frasure-Smith] 627 (Je)
Predictors of mortality in eating disorders [Keel] 179 (Fe)
Standardized mortality ratio in bulimia nervosa [Nielsen] 982 (Oc)
Standardized mortality ratio in bulimia nervosa (letter) [Nielsen] 851 (Au)
Mother-Child Relations
Prospective study of adult mental disturbance in offspring of women with psychosis [Schubert] 473 (My)
Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample [Hammen] 253 (Mr)
21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking [Baer] 377 (Ap)
Motor Skills
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Muller, Charles-Louis (1815-1892)
Pinel Orders the Chains Removed From the Insane at Bicêtre [Harris] 442 (My)
Mutation
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Myelin Sheath
White matter changes in schizophrenia: evidence for myelin-related dysfunction [Davis] 443 (My)
Myocardial Infarction
Depression and other psychological risks following myocardial infarction [Frasure-Smith] 627 (Je)

N

Naltrexone
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Nerve Growth Factors
Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects [Dwivedi] 804 (Au)
Neurologic Manifestations
Neural response to alcohol stimuli in adolescents with alcohol use disorder [Tapert] 727 (Jy)
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Neurotransmitters
Regulation of human affective responses by anterior cingulate and limbic μ-opioid neurotransmission [Zubieta] 1145 (No)
Neurotrophic Factors see Nerve Growth Factors
Nicotine Dependence see Tobacco Use Disorder
Nortriptyline
Occurrence and course of suicidality during short-term treatment of late-life depression [Szanto] 610 (Je)

O

Obesity
Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder [Appolinario] 1109 (No)
Obsessive-Compulsive Disorder
Basal ganglia volumes in patients with Gilles de la Tourette syndrome [Peterson] 415 (Ap)
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Gambling urges in pathological gambling: a functional magnetic resonance imaging study [Potenza] 828 (Au)
Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study [van Minnen] 517 (My)
Olanzapine
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression [Tohen] 1079 (No)
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania [Tohen] 1218 (De)
Olfaction Disorders
Decrements in volume of anterior ventromedial temporal lobe and olfactory dysfunction in schizophrenia [Turetsky] 1193 (De)
Olfaction and social drive in schizophrenia [Malaspina] 578 (Je)
Oligodendroglia
White matter changes in schizophrenia: evidence for myelin-related dysfunction [Davis] 443 (My)
Opioid Receptors see Receptors, Opioid
Oppositional Defiant Disorder see Attention Deficit and Disruptive Behavior Disorders
Outpatient Care see Ambulatory Care

P

P300 Event-Related Potentials see Event-Related Potentials, P300
Pain
Using chronic pain to predict depressive morbidity in the general population [Ohayon] 39 (Ja)
Panic Disorder
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Induced panic attacks shift γ-aminobutyric acid type A receptor modulatory neuroactive steroid composition in patients with panic disorder: preliminary results [Ströhle] 161 (Fe)
Smoking increases the risk of panic: findings from a prospective community study [Isensee] 692 (Jy)
Parent-Child Relations
Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design [Jacob] 1265 (De)
Impact of parental status on the risk of completed suicide [Qin] 797 (Au)
Individual and familial risk factors for bipolar affective disorders in Denmark [Mortensen] 1209 (De)
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Parent-child conflict and the comorbidity among childhood externalizing disorders [Burt] 505 (My)
Parkinson Disease
Deep brain stimulation of the subthalamic nucleus enhances emotional processing in Parkinson disease [Schneider] 296 (Mr)
Paroxetine
Occurrence and course of suicidality during short-term treatment of late-life depression [Szanto] 610 (Je)
Patient Adherence
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Patient Education
Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder [Ehlers] 1024 (Oc)
Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission [Colom] 402 (Ap)
Perceptual Disorders
Impairments in perceptual competency and maintenance on a visual delayed match-to-sample test in first-episode schizophrenia [Lencz] 238 (Mr)
Perimenopause see Climacteric
Personality Development
Sib-pair study of the temperament and character inventory scales in major depression [Farmer] 490 (My)
Personality Disorders
Polymorphism in the serotonin receptor 3A (*HTR3A*) gene and its association with harm avoidance in women [Melke] 1017 (Oc)
Phobic Disorders
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Picasso, Pablo (1881-1973)
Evocation: The Burial of Casagemas [Harris] 868 (Se)
La Vie [Harris] 968 (Oc)
Pinel, Philippe (1745-1826)
Pinel Delivering the Insane [Harris] 552 (Je)
Pinel Orders the Chains Removed From the Insane at Bicêtre [Harris] 442 (My)
Pituitary Gland
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)
Placebos
Placebo or active control trials of antipsychotic drugs? [Fleischhacker] 458 (My)
Suicide risk in placebo vs active treatment in placebo-controlled trials for schizophrenia [Storosum] 365 (Ap)
Polymorphism (Genetics)
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→T polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)
Polymorphism in the serotonin receptor 3A (*HTR3A*) gene and its association with harm avoidance in women [Melke] 1017 (Oc)
Positron-Emission Tomography see Tomography, Emission-Computed
Prasterone
Dehydroepiandrosterone augmentation in the management of negative, depressive, and anxiety symptoms in schizophrenia [Strous] 133 (Fe)
Prefrontal Cortex
Functional magnetic resonance imaging study of bipolar disorder: state- and trait-related dysfunction in ventral prefrontal cortices [Blumberg] 601 (Je)
Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression [Oquendo] 14 (Ja)
Pregnancy
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
Premenstrual Syndrome
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Prenatal Exposure Delayed Effects
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking [Baer] 377 (Ap)
Preventive Medicine
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort [Kim-Cohen] 709 (Jy)

Relationship between antidepressant medication treatment and suicide in adolescents [Olfson] 978 (Oc)
Progesterone
Induced panic attacks shift γ-aminobutyric acid type A receptor modulatory neuroactive steroid composition in patients with panic disorder: preliminary results [Ströhle] 161 (Fe)
Prognosis
Depression and other psychological risks following myocardial infarction [Frasure-Smith] 627 (Je)
Prolactin
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
Psychoses see Psychotic Disorders
Psychosocial Support Systems see Social Support
Psychotherapy
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Psychotherapy, Group
Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study [Schnurr] 481 (My)
Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission [Colom] 402 (Ap)
Psychotic Disorders
Prospective study of adult mental disturbance in offspring of women with psychosis [Schubert] 473 (My)
Psychotropic Drugs
Mechanism of new antipsychotic medications: occupancy is not just antagonism [Gründer] 974 (Oc)
Public Health
Screening for serious mental illness in the general population [Kessler] 184 (Fe)
Pulvinar
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)

Q

Quality of Health Care
Guideline recommendations for treatment of schizophrenia: the impact of managed care [Dickey] 340 (Ap)
Quetiapine
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)

R

Race
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)
Randomized Trials
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Efficacy of olanzapine and olanzapine-fluoxetine combination in the treatment of bipolar I depression [Tohen] 1079 (No)
Placebo or active control trials of antipsychotic drugs? [Fleischhacker] 458 (My)
Placebo-controlled 18-month trial of lamotrigine and lithium maintenance treatment in recently manic or hypomanic patients with bipolar I disorder [Bowden] 392 (Ap)
Randomized controlled study of cognitive therapy for relapse prevention for bipolar affective disorder: outcome of the first year [Lam] 145 (Fe)
Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder [Ehlers] 1024 (Oc)
Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder [Appolinario] 1109 (No)
Randomized study of family-focused psychoeducation and pharmacotherapy in the outpatient management of bipolar disorder [Miklowitz] 904 (Se)
Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study [Schnurr] 481 (My)
Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission [Colom] 402 (Ap)
Transcranial magnetic stimulation in the treatment of depression: a double-blind, placebo-controlled trial [Fitzgerald] 1002 (Oc)
Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study [van Minnen] 517 (My)
12-week, double-blind comparison of olanzapine vs haloperidol in the treatment of acute mania [Tohen] 1218 (De)
Receptor, N-Methyl-D-Asparate
Decreased serum levels of D-serine in patients with schizophrenia: evidence in support of the N-methyl-D-aspartate receptor hypofunction hypothesis of schizophrenia [Hashimoto] 572 (Je)
Receptor Protein-Tyrosine Kinases
Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects [Dwivedi] 804 (Au)
Receptors, Dopamine D1
Up-regulation of the D1 dopamine receptor–interacting protein, calcyon, in patients with schizophrenia [Koh] 311 (Mr)
Receptors, GABA
Induced panic attacks shift γ-aminobutyric acid type A receptor modulatory neuroactive steroid composition in patients with panic disorder: preliminary results [Ströhle] 161 (Fe)
Receptors, Glucocorticoid
Mineralocorticoid receptor function in major depression [Young] 24 (Ja)
Receptors, Mineralocorticoid
Mineralocorticoid receptor function in major depression [Young] 24 (Ja)
Receptors, Opioid
Regulation of human affective responses by anterior cingulate and limbic μ-opioid neurotransmission [Zubieta] 1145 (No)
Receptors, Serotonin
Polymorphism in the serotonin receptor 3A (*HTR3A*) gene and its association with harm avoidance in women [Melke] 1017 (Oc)
Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression [Oquendo] 14 (Ja)
Recurrence
Comparing and combining naltrexone and acamprosate in relapse prevention of alcoholism: a double-blind, placebo-controlled study [Kiefer] 92 (Ja)
Prior juvenile diagnoses in adults with mental disorder: developmental follow-back of a prospective-longitudinal cohort [Kim-Cohen] 709 (Jy)
Randomized controlled study of cognitive therapy for relapse prevention for bipolar affective disorder: outcome of the first year [Lam] 145 (Fe)
Randomized trial on the efficacy of group psychoeducation in the prophylaxis of recurrences in bipolar patients whose disease is in remission [Colom] 402 (Ap)
Relapse in bulimia nervosa (letter) [Fairburn] (reply) [Halmi] 850 (Au)
Refugees
Influences of place of birth and socioeconomic factors on attempted suicide in a defined population of 4.5 million people [Westman] 409 (Ap)
Relapse see Recurrence
Remoxipride
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Research Design
Placebo or active control trials of antipsychotic drugs? [Fleischhacker] 458 (My)
Risk Factors
Depression and other psychological risks following myocardial infarction [Frasure-Smith] 627 (Je)
Impact of parental status on the risk of completed suicide [Qin] 797 (Au)
Individual and familial risk factors for bipolar affective disorders in Denmark [Mortensen] 1209 (De)
Influences of place of birth and socioeconomic factors on attempted suicide in a defined population of 4.5 million people [Westman] 409 (Ap)
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Prospective study of adult mental disturbance in offspring of women with psychosis [Schubert] 473 (My)
Severity, chronicity, and timing of maternal depression and risk for adolescent offspring diagnoses in a community sample [Hammen] 253 (Mr)
Smoking increases the risk of panic: findings from a prospective community study [Isensee] 692 (Jy)
Suicide risk in placebo vs active treatment in placebo-controlled trials for schizophrenia [Storosum] 365 (Ap)
21-year longitudinal analysis of the effects of prenatal alcohol exposure on young adult drinking [Baer] 377 (Ap)
Risperidone
Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder [Potkin] 681 (Jy)
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Robert-Fleury, Tony (1837-1911)
Pinel Delivering the Insane [Harris] 552 (Je)

S

Schizophrenia
Aripiprazole, an antipsychotic with a novel mechanism of action, and risperidone vs placebo in patients with schizophrenia and schizoaffective disorder [Potkin] 681 (Jy)
Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia [Dickerson] 466 (My)
Childhood head injury and expression of schizophrenia in multiply affected families [AbdelMalik] 231 (Mr)
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Compounded brain volume deficits in schizophrenia-alcoholism comorbidity [Mathalon] 245 (Mr)
Decreased serum levels of D-serine in patients with schizophrenia: evidence in support of the N-methyl-D-aspartate receptor hypofunction hypothesis of schizophrenia [Hashimoto] 572 (Je)
Decreased thalamic expression of the homeobox gene *DLX1* in psychosis [Kromkamp] 869 (Se)
Decrements in volume of anterior ventromedial temporal lobe and olfactory dysfunction in schizophrenia [Turetsky] 1193 (De)
Dehydroepiandrosterone augmentation in the management of negative, depressive, and anxiety symptoms in schizophrenia [Strous] 133 (Fe)
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Differences and similarities in insular and temporal pole MRI gray matter volume abnormalities in first-episode schizophrenia and affective psychosis [Kasai] 1069 (No)
DNA fragmentation decreased in schizophrenia but not bipolar disorder [Benes] 359 (Ap)
Executive subprocesses in working memory: relationship to catechol-o-methyltransferase Val158Met genotype and schizophrenia [Goldberg] 889 (Se)
Fusiform gyrus volume reduction and facial recognition in chronic schizophrenia [Onitsuka] 349 (Ap)
Gray and white matter brain abnormalities in first-episode schizophrenia inferred from magnetization transfer imaging [Bagary] 779 (Au)
Guideline recommendations for treatment of schizophrenia: the impact of managed care [Dickey] 340 (Ap)
Impairments in perceptual competency and maintenance on a visual delayed match-to-sample test in first-episode schizophrenia [Lencz] 238 (Mr)
Individual and familial risk factors for bipolar affective disorders in Denmark [Mortensen] 1209 (De)
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)
Neurotoxicity, neuroplasticity, and magnetic resonance imaging morphometry (letter) [Mathalon] 846 (reply) [Weinberger] 848 (Au)
Olfaction and social drive in schizophrenia [Malaspina] 578 (Je)
P300 and genetic risk for schizophrenia [Winterer] 1158 (No)
Parental age and risk of schizophrenia: a case-control study [Byrne] 673 (Jy)
Progressive decrease of left Heschl gyrus and planum temporale gray matter volume in first-episode schizophrenia: a longitudinal magnetic resonance imaging study [Kasai] 766 (Au)
Progressive structural brain abnormalities and their relationship to clinical outcome: a longitudinal magnetic resonance imaging study early in schizophrenia [Ho] 585 (Je)
Prospective study of adult mental disturbance in offspring of women with psychosis [Schubert] 473 (My)
Regional specificity in the neuropathologic substrates of schizophrenia: a morphometric analysis of Broca's area 44 and area 9 [Selemon] 69 (Ja)
Regionally localized thinning of the cerebral cortex in schizophrenia [Kuperberg] 878 (Se)
Schizophrenia as a complex trait: evidence from a meta-analysis of twin studies [Sullivan] 1187 (De)
Sex differences in the risk of schizophrenia: evidence from meta-analysis [Aleman] 565 (Je)
Specific deficit in context processing in the unaffected siblings of patients with schizophrenia [MacDonald] 57 (Ja)
Suicide risk in placebo vs active treatment in placebo-controlled trials for schizophrenia [Storosum] 365 (Ap)
Transcranial magnetic stimulation of left temporoparietal cortex and medication-resistant auditory hallucinations [Hoffman] 49 (Ja)
Up-regulation of the D1 dopamine receptor–interacting protein, calcyon, in patients with schizophrenia [Koh] 311 (Mr)
White matter changes in schizophrenia: evidence for myelin-related dysfunction [Davis] 443 (My)
Selection Bias
Diagnostic patterns in Latino, African American, and European American psychiatric patients [Minsky] 637 (Je)
Self Care
Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder [Ehlers] 1024 (Oc)
Serine
Decreased serum levels of D-serine in patients with schizophrenia: evidence in support of the N-methyl-D-aspartate receptor hypofunction hypothesis of schizophrenia [Hashimoto] 572 (Je)

Serologic Tests
Association of serum antibodies to herpes simplex virus 1 with cognitive deficits in individuals with schizophrenia [Dickerson] 466 (My)
Serotonin Receptors see Receptors, Serotonin
Serotonin Reuptake Inhibitors
Effects of exposure to selective serotonin reuptake inhibitors during pregnancy on serotonergic symptoms in newborns and cord blood monoamine and prolactin concentrations [Laine] 720 (Jy)
High levels of serotonin transporter occupancy with low-dose clomipramine in comparative occupancy study with fluvoxamine using positron emission tomography [Suhara] 386 (Ap)
Sertindole
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Sertraline
Treating depression in Alzheimer disease: efficacy and safety of sertraline therapy, and the benefits of depression reduction: the DIADS [Lyketsos] 737 (Jy)
Sex Characteristics
Sex differences in the risk of schizophrenia: evidence from meta-analysis [Aleman] 565 (Je)
Siblings
Sib-pair study of the temperament and character inventory scales in major depression [Farmer] 490 (My)
Sibutramine
Randomized, double-blind, placebo-controlled study of sibutramine in the treatment of binge-eating disorder [Appolinario] 1109 (No)
Smell Disorders see Olfaction Disorders
Smoking
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma [Breslau] 289 (Mr)
Smoking increases the risk of panic: findings from a prospective community study [Isensee] 692 (Jy)
Social Adjustment
Olfaction and social drive in schizophrenia [Malaspina] 578 (Je)
Social Support
Malignant melanoma: effects of a brief, structured psychiatric intervention on survival and recurrence at 10-year follow-up [Fawzy] 100 (Ja)
Socioeconomic Factors
Influences of place of birth and socioeconomic factors on attempted suicide in a defined population of 4.5 million people [Westman] 409 (Ap)
Somatoform Disorders
Mental disorders and asthma in the community [Goodwin] 1125 (No)
Stress Disorders, Posttraumatic
Family study of affective spectrum disorder [Hudson] 170 (Fe)
Health care costs associated with posttraumatic stress disorder symptoms in women [Walker] 369 (Ap)
Physiologic responses to sudden, loud tones in monozygotic twins discordant for combat exposure: association with posttraumatic stress disorder [Orr] 283 (Mr)
Posttraumatic stress disorder among criminally involved youth (letter) [Newman] (reply) [Teplin] 849 (Au)
Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma [Breslau] 289 (Mr)
Randomized controlled trial of cognitive therapy, a self-help booklet, and repeated assessments as early interventions for posttraumatic stress disorder [Ehlers] 1024 (Oc)
Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study [Schnurr] 481 (My)
Stress, Psychological
Alterations in stress cortisol reactivity in depressed preschoolers relative to psychiatric and no-disorder comparison groups [Luby] 1248 (De)
Depression with atypical features in the National Comorbidity Survey: classification, description, and consequences [Matza] 817 (Au)
Life event dimensions of loss, humiliation, entrapment, and danger in the prediction of onsets of major depression and generalized anxiety [Kendler] 789 (Au)
Substance-Related Disorders
Community reinforcement therapy for cocaine-dependent outpatients [Higgins] 1043 (Oc)
Comorbid psychiatric disorders in youth in juvenile detention [Abram] 1097 (No)
Early reactions to cannabis predict later dependence [Fergusson] 1033 (Oc)
Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design [Jacob] 1265 (De)
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Mental disorders and asthma in the community [Goodwin] 1125 (No)
Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma [Breslau] 289 (Mr)
Prevalence and development of psychiatric disorders in childhood and adolescence [Costello] 837 (Au)
Structure of genetic and environmental risk factors for common psychiatric and substance use disorders in men and women [Kendler] 929 (Se)
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Subthalamic Nucleus
Deep brain stimulation of the subthalamic nucleus enhances emotional processing in Parkinson disease [Schneider] 296 (Mr)
Suicide
Abnormal expression and functional characteristics of cyclic adenosine monophosphate response element binding protein in postmortem brain of suicide subjects [Dwivedi] 273 (Mr)
Altered gene expression of brain-derived neurotrophic factor and receptor tyrosine kinase B in postmortem brain of suicide subjects [Dwivedi] 804 (Au)
Clozapine treatment for suicidality in schizophrenia: International Suicide Prevention Trial (InterSePT) [Meltzer] 82 (Ja); correction, 735 (Jy)
Impact of parental status on the risk of completed suicide [Qin] 797 (Au)
Influences of place of birth and socioeconomic factors on attempted suicide in a defined population of 4.5 million people [Westman] 409 (Ap)
Occurrence and course of suicidality during short-term treatment of late-life depression [Szanto] 610 (Je)
Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression [Oquendo] 14 (Ja)
Relationship between antidepressant medication treatment and suicide in adolescents [Olfson] 978 (Oc)
Suicide risk in placebo vs active treatment in placebo-controlled trials for schizophrenia [Storosum] 365 (Ap)
The Suicide of Dorothy Hale [Harris] 661 (Jy)
The Wood of the Self-Murderers: The Harpies and the Suicides [Harris] 229 (Mr)
Survival Rate
Malignant melanoma: effects of a brief, structured psychiatric intervention on survival and recurrence at 10-year follow-up [Fawzy] 100 (Ja)

T

Temporal Lobe
Decrements in volume of anterior ventromedial temporal lobe and olfactory dysfunction in schizophrenia [Turetsky] 1193 (De)
Thalamus
Decreased thalamic expression of the homeobox gene *DLX1* in psychosis [Kromkamp] 869 (Se)
Magnetic resonance imaging of mediodorsal, pulvinar, and centromedian nuclei of the thalamus in patients with schizophrenia [Kemether] 983 (Oc)
Tic Disorders
Basal ganglia volumes in patients with Gilles de la Tourette syndrome [Peterson] 415 (Ap)
Tobacco Use Disorder
Smoking increases the risk of panic: findings from a prospective community study [Isensee] 692 (Jy)
Tomography, Emission-Computed
High levels of serotonin transporter occupancy with low-dose clomipramine in comparative occupancy study with fluvoxamine using positron emission tomography [Suhara] 386 (Ap)
Mechanism of new antipsychotic medications: occupancy is not just antagonism [Gründer] 974 (Oc)
Positron emission tomography of regional brain metabolic responses to a serotonergic challenge and lethality of suicide attempts in major depression [Oquendo] 14 (Ja)
Tomography, Positron-Emission see Tomography, Emission-Computed
Tourette Syndrome
Basal ganglia volumes in patients with Gilles de la Tourette syndrome [Peterson] 415 (Ap)
Trauma
Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma [Breslau] 289 (Mr)
Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study [Schnurr] 481 (My)
Trichotillomania
Treatment of trichotillomania with behavioral therapy or fluoxetine: a randomized, waiting-list controlled study [van Minnen] 517 (My)
Tricyclic Antidepressive Agents see Antidepressive Agents, Tricyclic
Twin Studies
Autistic traits in the general population: a twin study [Constantino] 524 (My)
Genetic and environmental effects on offspring alcoholism: new insights using an offspring-of-twins design [Jacob] 1265 (De)
Genetic and environmental influences on substance initiation, use, and problem use in adolescents [Rhee] 1256 (De)
Physiologic responses to sudden, loud tones in monozygotic twins discordant for combat exposure: association with posttraumatic stress disorder [Orr] 283 (Mr)
Schizophrenia as a complex trait: evidence from a meta-analysis of twin studies [Sullivan] 1187 (De)
Twin study of the genetics of fear conditioning [Hettema] 702 (Jy)
Twin study of the neuropsychological consequences of stimulant abuse [Toomey] 303 (Mr)
Tyrosine Kinase Receptors see Receptor Protein-Tyrosine Kinases

U

Unipolar Depression see Depressive Disorder

V

van Gogh, Vincent (1853-1890)
Still Life with Open Bible and Zola's La Joie de Vivre [Harris] 1182 (De)
Vitamin B_{12}
Folate, vitamin B_{12}, homocysteine, and the *MTHFR* 677c→T polymorphism in anxiety and depression: The Hordaland Homocysteine Study [Bjelland] 618 (Je)

W

War
Physiologic responses to sudden, loud tones in monozygotic twins discordant for combat exposure: association with posttraumatic stress disorder [Orr] 283 (Mr)
Posttraumatic stress disorder and the incidence of nicotine, alcohol, and other drug disorders in persons who have experienced trauma [Breslau] 289 (Mr)
Randomized trial of trauma-focused group therapy for posttraumatic stress disorder: results from a Department of Veterans Affairs Cooperative Study [Schnurr] 481 (My)
Whites
Outpatient prescriptions for atypical antipsychotics for African Americans, Hispanics, and whites in the United States [Daumit] 121 (Fe)
Women's Health
Depression and its influence on reproductive endocrine and menstrual cycle markers associated with perimenopause: the Harvard Study of Moods and Cycles [Harlow] 29 (Ja)
Health care costs associated with posttraumatic stress disorder symptoms in women [Walker] 369 (Ap)
Lifetime history of depression and carotid atherosclerosis in middle-aged women [Jones] 153 (Fe)
Polymorphism in the serotonin receptor 3A (*HTR3A*) gene and its association with harm avoidance in women [Melke] 1017 (Oc)
Predictors of mortality in eating disorders [Keel] 179 (Fe)
Sex differences in the risk of schizophrenia: evidence from meta-analysis [Aleman] 565 (Je)

Z

Ziprasidone
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)
Zotepine
Meta-analysis of the efficacy of second-generation antipsychotics [Davis] 553 (Je)